



# भारत का राजपत्र The Gazette of India

असाधारण  
EXTRAORDINARY

भाग I—खण्ड 1  
PART I—Section 1

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

सं. 88] नई दिल्ली, गृहस्पतिवार, जून 23, 1994/आषाढ़ 2, 1916  
No. 88] NEW DELHI, THURSDAY, JUNE 23, 1994/ASADHA 2, 1916

वाणिज्य मंत्रालय

सार्वजनिक सूचना सं० 219 (पीएन)/92-97

नई दिल्ली, 23 जून, 1994

विषय:—प्रक्रिया पुस्तक, खण्ड-2, 1992-97 निवेश-उत्पादन मूल्य संयोजन मानदण्डों तथा संवेदनशील मदों का ब्यौरा।

फा०सं० 6/93/93-आईसीसी-II.—उपर्युक्त विषय पर सार्वजनिक सूचना सं० 205(पीएन) 92-97 बिनांक 30-3-94 के अन्तर्गत प्रकाशित प्रक्रिया पुस्तक, 1992-97 खण्ड-2 की ओर ध्यान दिलाया जाता है।

2. मानक निवेश उत्पादन, मूल्य संयोजन मानदण्डों के विवरण तथा संवेदनशील मदों की सूची में इस सार्वजनिक सूचना के उपाबन्ध "क" में यथा उल्लिखित उपयुक्त स्थानों पर संशोधन किए जाएंगे।

3. मानक निवेश-उत्पादन तथा मूल्य संयोजन मानदण्डों के विवरण में नीचे यथा उल्लिखित उपयुक्त स्थानों पर निम्न-लिखित जोड़े जाएंगे:—

रसायन और संबद्ध उत्पाद

(1) प्रविष्टि सं० 1364 के बाद इस सार्वजनिक सूचना के उपाबन्ध "ख" के अनुसार क्रम सं० 1365 से 1398 तक नई प्रविष्टियां जोड़ी जाएंगी।

इंजीनियरी उत्पाद

(2) प्रविष्टि संख्या 1205 के बाद इस सार्वजनिक सूचना के उपाबन्ध "ग" के अनुसार क्रम सं० 1206 से 1219 तक नई प्रविष्टियां जोड़ी जाएंगी।

## खाद्य उत्पाद

(3) प्रविष्टि सं० 35 के बाद इस सार्वजनिक सूचना के उपाबन्ध "ब" के अनुसार क्रम सं० 36 के रूप में नई प्रविष्टि जोड़ी जाएगी।

## चमड़ा और चमड़ा उत्पाद

(4) प्रविष्टि सं० 64 के बाद इस सार्वजनिक सूचना के उपाबन्ध "क" के अनुसार क्रम सं० 65 से 66 तक नई प्रविष्टियां जोड़ी जाएंगी।

## प्लास्टिक

(5) प्रविष्टि सं० 240 के बाद इस सार्वजनिक सूचना के उपाबन्ध "ख" के अनुसार क्रम सं० 241 से 254 तक नई प्रविष्टियां जोड़ी जाएंगी।

## खेल कूद के सामान

(6) प्रविष्टि सं० 6 के बाद इस सार्वजनिक सूचना के उपाबन्ध "छ" के अनुसार क्रम सं० 7 से 8 तक नई प्रविष्टियां जोड़ी जाएंगी।

## यस्त्र

(7) प्रविष्टि सं० 221 के बाद इस सार्वजनिक सूचना के उपाबन्ध "ज" के अनुसार क्रम सं० 222 से 225 तक नई प्रविष्टियां जोड़ी जाएंगी।

इसे लोकहित में जारी किया जाता है।

डा० पी०एल० संजीव रेड्डी, महानिदेशक, विदेश व्यापार

सार्वजनिक सूचना सं० 219

दिनांक 23-6-94 का उपाबन्ध "क"

## रसायन तथा संबद्ध उत्पाद

क्रम सं०	पृष्ठ सं०	सन्दर्भ (नियति उत्पादों की क्रम सं०)	संशोधन/शुद्धियां		
1	2	3	4		
1.	35	206	प्रायात मद 1(क) के विवरण में "मद मेट्रोनिडाजोल के साथ-साथ 40% मुद्रित" को हटाया गया हुआ तथा मद ग्लाइसल के साथ लिखा गया हुआ माना जाएगा।		
2.	63	468	इस प्रविष्टि में शामिल निवेश उत्पादन मानदण्डों के स्थान पर निम्न-लिखित को रखा जाएगा :—		
1	2	3	4	5	6
468	मिथाइल वायलेट बैस, 1 किग्रा० साल्वेन्ट वायलेट-8 (सी.आई. नं० 42535.1 स्याही कोटि) जिसमें 50% सतह प्रभावी अभि- कारक हो।	1. एन०एन० डि-मिथाइल एनीलीन 2. बेरोल (सतह प्रभावी अभि- कारक। 3. सोडियम क्लोरेट 4. फीनोल	0.7 किग्रा०  0.5 किग्रा०  0.175 किग्रा० 0.408 किग्रा०		
3.	101	804	इस प्रविष्टि के सामने के संबद्ध कालम में 150% का मूल्य संयोजन जोड़ा जाएगा।		

4.	110	903	इस प्रविष्टि में शामिल निवेश उत्पादन मानदण्डों के स्थान पर निम्नलिखित को रखा जाएगा :—		
1	2	3	4	5	6
903	डिमियाइल सल्फेट	1 किग्रा०	1. मेथानोल 2. सल्फर।	0.561 किग्रा० 0.276 किग्रा०	
5.	135	1123	इस प्रविष्टि के बाद निम्नलिखित टिप्पणी जोड़ी जाएगी :— टिप्पणी :—ईसी की प्रतिशतता भिन्न होने की स्थिति में निवेश आवश्यकताएं यथानुपात आधार पर तैयार की जा सकती हैं।		
6.	135	1124	मद 1 के विवरण तथा उसकी मात्रा को ठीक करके निम्नानुसार पढ़ा जाएगा :— “साइपरमेथिन/टेक्नीकल (92% न्यूनतम)—0.11 किग्रा०		
7.	135	1125	1. निर्यात उत्पाद के विवरण को ठीक करके “साइपरमेथिन 5% ईसी” पढ़ा जाएगा। 2. इस प्रविष्टि के नीचे की टिप्पणी हटा दी जाएगी।		
8.	137	1144	आयात मद 1 के विवरण को ठीक करके निम्नानुसार पढ़ा जाएगा :— “डिमियाइल फासफोरोक्लोराइड बियोएट।		
9.	138	1156	आयात मद 2 के विवरण को ठीक करके निम्नानुसार पढ़ा जाएगा :— 0.0 डिइथाइल थियो फास्फोरिक एसिड क्लोराइड।		
10.	139-140	1161	इस प्रविष्टि के नीचे टिप्पणी 4 के अन्त में निम्नलिखित को जोड़ा जाएगा :— अनुमित सिथेटिक रबड़ के 9 किग्रा० में से बीपी सैटिसेज का आयात 0.6 किग्रा० से अधिक नहीं होगा।		
11.	146	1186	आयात मद 2 के विवरण को ठीक करके निम्नानुसार पढ़ा जाएगा :— “सिथेटिक रबड़ (एस बी आर) (1502/1712)/एच एस आर/पी बी आर/नाइट्रिल रबड़ (निर्यात उत्पाद में प्रयुक्त/प्रयुक्त की जाने वाली केवल संबद्ध मद ही आयात के लिए अनुमित होगी)।		
12.	197	1194	इस प्रविष्टि के संबद्ध कालम में 100% का मूल्य संयोजन जोड़ा जाएगा।		
13.	149	1198	1. निर्यात उत्पाद के विवरण के साथ-साथ अन्त में निम्नलिखित को जोड़ा जाएगा :— “/बी वेल्ट केवलर के साथ” 2. आयात मद 1 के विवरण में मद नाइलोन के साथ “केवलर” जोड़ा जाएगा।		
14.	160	1232	इस प्रविष्टि के सामने संबद्ध कालम में 350% का मूल्य संयोजन जोड़ा जाएगा।		
15.	162	1246	वैकल्पिक आयात मद 3 के विवरण को संशोधित करके निम्नानुसार पढ़ा जाएगा :— मात्रा अपरिवर्तित रहेगी। “13.6 किग्रा./30 एल बी गैस क्षमता के खाली इस्पात सिलिण्डर (1.30 एम एम तक के आकार का सिलिण्डर इस्पात गेज) या 295 किग्रा० क्षमता तक के इस्पात ड्रम।”		

1	2	3	4
16.	162-163	1247	<p>वैकल्पिक आयात मद 3 के विवरण को संशोधित करके निम्नानुसार पढ़ा जाएगा : मात्रा अपरिवर्तित रहेगी ।</p> <p>"13.6 किग्रा./30 एल बी गैस क्षमता के खाली इस्पात सिलिण्डर (1.30 एम एम तक के आकार का सिलिण्डर इस्पात गेज)</p> <p>या</p> <p>22.7 किग्रा./50 एल बी गैस क्षमता के खाली इस्पात सिलिण्डर (1.6 एम एम तक के आकार का सिलिण्डर इस्पात गेज)"</p>
17.	163	1248	<p>वैकल्पिक आयात मद 3 के विवरण को संशोधित करके निम्नानुसार पढ़ा जाएगा : मात्रा अपरिवर्तित रहेगी ।</p> <p>"13.6 किग्रा./30 एल बी गैस क्षमता के खाली इस्पात सिलिण्डर (1.30 एम एम तक के आकार का सिलिण्डर इस्पात गेज) ।</p> <p>या</p> <p>13.6 30 एल बी गैस क्षमता के खाली इस्पात सिलिण्डर (1.30 एम एम के आकार का सिलिण्डर इस्पात गेज)</p> <p>या</p> <p>22.7 किग्रा. 50 एल बी गैस क्षमता के खाली इस्पात सिलिण्डर (1.67 एम एम तक के आकार का सिलिण्डर इस्पात गेज) ।</p> <p>2. आयात मद 3 के विवरण में यह शब्द (1.6 एम एम के सिलिंडर स्टील गेज) के बदले निम्नलिखित को रखा जाएगा :—</p> <p>"(1.6 एम एम से कम के सिलिंडर स्टील गेज) ।</p>
18.	169	1287	<p>1. इस प्रविष्टि के बदले संगत कालम में 200% का मूल्य संयोजन जोड़ा जाएगा ।</p> <p>2. मद सं० 6 के दाब संगत कालमों में मात्रा सहित निम्नलिखित अतिरिक्त मद जोड़ी जाएगी :</p> <p>"7. इनर कार्टन—19 ग्राम के लिए डूबले बोर्ड इलेक्ट्रानिकी</p>
19.	180	12	<p>1. निर्यात की मात्रा में संशोधन करके इसे 1,00,000 नग पढ़ा जाएगा ।</p> <p>2. मद सं० 1 से पहले मयों की सूची के शुरु-शुरु में आयात मद सं० 2(ख) और 3 हटा दी जाएगी ।</p> <p>3. मात्रा सहित मद 2(ख) में संशोधन करके इसे निम्नानुसार पढ़ा जाएगा :—</p> <p>2(ख) प्लास्टिक पार्ट्स (हूज और रोलर्स)—2,02,000 सेट्स और इन्टरनेशनल कवर्स—1,01,000 नग</p> <p>अथवा</p> <p>प्लास्टिक पाउडर (पॉलिस्टीन 6000 किग्रा.)</p> <p>और</p> <p>पॉलीएसीटॉल—292 किग्रा.</p> <p>4. मद सं० 3 हटा दी जाएगी ।</p>
20.	183	13	<p>मात्रा सहित मद 6 में संशोधन करके इसे निम्नानुसार पढ़ा जाएगा :—</p> <p>मास्टर कार्टन—110 नग</p> <p>या</p> <p>काई बोर्ड पेपर—79 किग्रा.</p>

1	2	3	4
21.	189	28	<p>1. आयात की मात्रा में मद सं० 9 के सामने इन शब्दों "स्क्वायर एम एम" में संशोधन करके इसे "एस०क्यू० मीटर्स" पढ़ा जाएगा।</p> <p>2. आयात की मात्रा में मद सं० 14 के सामने "किग्रा०" शब्द को संशोधित करके "मीटर्स" पढ़ा जाएगा।</p>
22.	189-190	30	<p>1. आयात मद के विवरण में सुधार करके इसे "सेल्डरिंग बिग" पढ़ा जाएगा।</p> <p>2. आयात की मद 8 के विवरण को सही करके इसे निम्नानुसार पढ़ा जाएगा :— "बेडिङ 250 एस एम लॉग ग्लोब"।</p>
23.	189-190	31	<p>1. मात्रा सहित आयात मद 12 के विवरण में संशोधन करके इसे निम्नानुसार पढ़ा जाएगा :— "सिरेमिक मेटल हाउसिंग—1135 नग या ग्लास मेटल हाउसिंग—1135 नग"।</p> <p>2. मात्रा सहित आयात मद 13 हटा दी जाएगी।</p>
24.	201-202	92	आयात मद 3 (एल) हटा दिया जाएगा।
25.	215-216	116	<p>आयात मद 21 के बाद मात्रा सहित निम्नलिखित अतिरिक्त मद जोड़ी जाएंगी :— "22. लेड बायर-नेट + 5% छीजन 23. 6" क्रिम्पेड कनेक्टर्स-नेट + 5% छीजन।</p>
26.	235	153	<p>1. मद 1 के बाद मात्रा सहित निम्नलिखित मद रखी जाएगी :— "2. सिल्वर डिस्क—1135 नग"</p>
27.	235	154	आयात मदों के ब्यौरे में मद सं० 1 से पहले मद 2 सिल्वर डिस्क हटा दी जाएगी।
28.	276	219	<p>1. आयात मद 4 में संशोधन करके इसे "ट्रांसिस्टर्स" पढ़ा जाएगा।</p> <p>2. मद सं० 40 के बाद निम्नलिखित अतिरिक्त मद जोड़ी जाएगी :— "41 पी सी बी (सिंगल)/पी टी एच"</p>
<b>इंजीनियरिंग के उत्पाद</b>			
29.	344	156	आयात मद 3 की मात्रा में सुधार करके इसे 6.63 किग्रा० पढ़ा जाएगा।
30.	478	712	<p>आयात मद 4 के बाद मात्रा सहित अतिरिक्त मद जोड़ी जाएगी :— 5. आयरन ओर/आयरन ओर कन्स्ट्रक्ट्स/65% या अधिक आयरन वाले आयरन ओर प्लेट्स—1500 किग्रा०"।</p>
31.	493	794	इस प्रविष्टि के सामने संगत कालम में 75% मूल्य संयोजन जोड़ा जाएगा।
32.	529	1063	<p>आयात मद 1 के ब्यौरे में संशोधन करके इसे निम्नानुसार पढ़ा जाएगा :— "नान आलाय स्टील राउड्स और/या बिलेट्स और/या रोल्ड सेक्शन्स यानि प्लेट/प्लेट/मिडप/बार/रोड"।</p>

1	2	3	4
33.	529	1064	<p>आयात मद 1 के ब्योरे में संशोधन करके इसे निम्नानुसार पढ़ा जाएगा :—</p> <p>“नान-अलाय स्टील राउड्स और/या बिलेट्स और/या रोल्ड संयोजन मानि प्लेट/प्लेट/भिट्ट/बार/रोड ।</p> <p>2. आयात मद के बाद मात्रा सहित निम्नलिखित प्रतिरिक्त मद जोड़ी जाएगी :</p> <p>“3. एच ओ बी जैसे कन्व्यूमेबल्स/ग्रेफाइट टूल्स-निर्यात के 3% तक पोत-पर्यन्त निःशुल्क मूल्य तक ।”</p>
34.	532-533	1079	<p>इस प्रविष्टि के सामने संगत कालम के अन्तर्गत 70% नूतन संयोजन जोड़ा जाएगा ।</p>
35.	508-535, 536	928 और 1095 से 1100 तक	<p>इन प्रविष्टियों द्वारा शामिल किए गए निवेश-उत्पादन मानदण्ड इस सार्वजनिक सूचना के उपावन्ध-1 द्वारा प्रतिस्थापित किए जाएंगे ।</p> <p>इन प्रविष्टियों द्वारा शामिल किए गए निर्यात विवरण में संशोधन करके इसे निम्नानुसार पढ़ा जाएगा :—</p>
36.	540 से 542	1115 से 1122, 1128	<p>क्रम निर्मात उत्पाद का विवरण सं.</p> <p>1115 थिनवाल्ड इंजिन बियरिंग्स, बूशिंग्स और धास्ट वाशर्स-स्टील बेकड कापर बेस्ड अलाय एफ-770/एस एल/के एन 30/जी एस 30/एफ-14 में ।</p> <p>1116 थिनवाल्ड इंजिन बियरिंग्स, बूशिंग्स और धास्ट वाशर्स स्टील बेकड कापर बेस्ड हार्ड टिन अलाय एफ-780/एस पी/एच-24/जी एस/25/के एस 25/जी-41/एस ए ई-49 में ।</p> <p>1117 थिनवाल्ड इंजिन बियरिंग्स, बूशिंग और धास्ट वाशर्स स्टील बेकड कापर बेस्ड अलाय एफ-100/एस वाई एन एफ 2/एल एस/10/जी एस 10/ग्लायको-46/एस ए ई-797 में ।</p> <p>1118 थिनवाल्ड इंजिन बियरिंग्स, बूशिंग्स और धास्ट वाशर्स, स्टील बेकड कापर बेस्ड अलाय एफ-250/एस एन/एच एफ 16 या एच 116/एल एस - 23/जी एस-23/ग्लायको-43/एस ए ई-799 में ।</p> <p>1119 थिनवाल्ड इंजिन बियरिंग्स, बूशिंग्स और धास्ट वाशर्स, स्टील बेकड अल्युमिनियम बेस्ड अलाय ए एस-15/एफ-820/एफ-157/जी ए-20/ए-20/जी-74/टी मार-20/एस ए ई-783 में ।</p> <p>1120 थिनवाल्ड इंजिन बियरिंग्स, बूशिंग्स और धास्ट वाशर्स, स्टील बेकड अल्युमिनियम बेस्ड अलाय ए एस-11/जी ए-6/ए-6/जी-78/ए-300/एस ए एफ-770 में ।</p> <p>1121 थिनवाल्ड इंजिन बियरिंग्स, बूशिंग्स और धास्ट वाशर्स, स्टील बेकड टिम बेस्ड ग्राईट मेटल अलाय एल-2/जी एस 12/डब्ल्यू-90/जी-32/बी-10/बी-100/एस ए ई-12 में ।</p> <p>1122 थिनवाल्ड इंजिन बियरिंग्स, बूशिंग्स और धास्ट वाशर्स, स्टील बेकड लेड बेस्ड ग्राईट मेटल अलाय जी एम-155/जी एल-13/एस-100/एफ-99/एस ए ई-13 में</p> <p>1128 थिनवाल्ड इंजिन बियरिंग्स, बूशिंग्स और धास्ट वाशर्स, स्टील बेकड कास्ट कापर बेस्ड अलाय एफ-112/एफ-77/एफ 770 में ।</p>

1	2	3	4
37.	545	1139	इस प्रविष्टि द्वारा शामिल निवेश उत्पादन मानदण्ड निम्नलिखित द्वारा प्रतिस्थापित किए जाएंगे :—

1	2	3	4	5	6
1139.	लेड इनगोट्स 99.97/प्यूरिटी एन्टी मोनियस लेड (लेड एंटीमनी मलाय)	1 किग्रा०	1. केबल पीथिंग्स स्क्रेप "रेक्स" या 2. होल ट्रेन्ड बीटरीज स्क्रेप "रेक्स" या 1. उपर्युक्त के संयोजन में मदों के लिए उसी छीजन अनुपात में अनुमति दी जाए जितनी के अलग-अलग मद के लिए अनुमति है।	1. 10 कि ग्रा० निर्यात में निहित संगत स्क्रेप का किग्रा० 2 कि ग्रा०	ऊपर अनुमेय छीजन के अनुसार अनुमित।

38.	547	1164	इस प्रविष्टि द्वारा शामिल किए गए निवेश उत्पादन मानदण्ड हटा दिए जाएंगे।
-----	-----	------	--

#### अमड़े के उत्पाद

39.	605 से 614	36 से 42	इन प्रविष्टियों में आयात मद 1(ग) का विवरण संशोधन उपरोक्त निम्न-अनुसार पढ़ा जाएगा :— "सम्बद्ध अस्तर सामग्री यथा पालीस्टर वैडिंग आदि/फोम लाइनिंग (आयात हेतु मांगी गई मद का निर्यात उत्पाद में उपयोग जरूर होना चाहिए)
-----	------------	----------	---

40.	614 से 616	43	इन प्रविष्टियों में शामिल निवेश उत्पादन मानदण्डों के स्थान पर इस सार्वजनिक सूचना के उपावर्ध "ख" में दिए गए मानदण्डों को पढ़ा जाएगा।
-----	------------	----	---

41.	620 से 621	55	1. मूल्य संयोजन को ठीक करके 200% पढ़ा जाएगा। 2. आयात मद 1(ख) (1) की मात्रा ठीक करके 0.025 सीटर पढ़ी जाएगी।
-----	------------	----	---

#### प्लास्टिक

42.	635	16	इस प्रविष्टि को निवेश उत्पादन मानदण्डों के साथ-साथ हटा दिया जाएगा।
-----	-----	----	--

43.	635	17 से 24	इन प्रविष्टियों के समक्ष सम्बद्ध कालम में 100% के मूल्य संयोजन को जोड़ा जाएगा।
-----	-----	----------	--

44.	639 से 640	40, 43, 44, 45 और 46	इन प्रविष्टियों के समक्ष सम्बद्ध कालम में 50% के मूल्य संयोजन को जोड़ा जाएगा।
-----	------------	-------------------------	---

45.	648	77	आयात मद 2 मात्रा सहित संशोधित होने के बाद निम्न रूप से पढ़ी जाएगी :—
-----	-----	----	--

2. पेरफार्मसडिहाइड (90-92% शुद्धता)—263.96 किग्रा०।

1	2	3	4
46.	650	79	आयात मर 3 मात्रा सहित संशोधित होने के बाद निम्न रूप से पढ़ी जाएगी :— 3. पेरफार्मलडिहाइड (90-92% शुद्धता)—142.63 किग्रा० ।
47.	652	89	इस प्रविष्टि के तहत आने वाले निवेश उत्पादन मानदण्ड निम्न द्वारा प्रतिस्थापित किए जाएंगे :—

क्रमांक	निर्यात उत्पाद	निर्यात की मात्रा	आयात की मर	आयात की मात्रा	मूल्य संयोजन
1	2	3	4	5	6
	मल्टी लेयर्ड एक्सट्रूडेड प्लास्टिक पैकेजिंग सामग्री (अनप्रिन्टेड 5 प्लार्ड) ।	1.0 किग्रा०	1. एलडीपीई/एलएलडीपीई (फिल्म ग्रेड) । 2. इथाइलीन एक्रिलिस एसिड कोपोलिमर ग्रेनुअल्स । 3. एल्यूमीनियम फायल ।	1. 12 किग्रा०/किग्रा० मात्रा निर्यात उत्पाद में 1.10 किग्रा०/किग्रा० मात्रा, निर्यात उत्पाद में । 1.10 किग्रा०/किग्रा० मात्रा, निर्यात उत्पाद में ।	
48.	656	109	इस प्रविष्टि के तहत आने वाले निवेश उत्पादक मानदण्ड निम्न द्वारा प्रतिस्थापित किए जाएंगे ।		

क्रमांक	निर्यात उत्पाद	निर्यात की मात्रा	आयात की मर	आयात की मात्रा	मूल्य संयोजन
109.	प्लास्टिक होलो कोरुगेटेड बोर्ड पालीप्रोपीलीन से निर्मित ।	1 किग्रा०	1. पालीप्रोपीलीन (कोपोलीमर ग्रेड) 2. स्टेबिलाइजर्स 3. पिगमेंट्स	1.063 किग्रा० 0.005 किग्रा० 0.032 किग्रा०	
49.	667-668	171-177	इस उत्पाद समूह के अन्तर्गत क्रमांक 241 व 242 के सामान्य मानदण्ड के निर्धारण के फलस्वरूप इन क्रमांकों के तहत आने वाले मानदण्ड हटा दिए जाएंगे ।		
50.	671	194	निर्यात उत्पाद का विवरण संशोधन उपरांत निम्नानुसार पढ़ा जाएगा : "कठोर पी बी सी थर्मोफॉर्मिंग फिल्म/फायल शीट ।" खेलकूद का सामान		
51.	679	2	1. मर संख्या 2 में "फिप्पल" शब्द को हटा दिया जाएगा । 2. "लाइनियर मोटर" के साथ-साथ आयात की मात्रा शब्दों के स्थान पर "सक्वायर मोटर" पढ़ा जाएगा । वस्त्र उत्पाद		
52.	682	14	आयात मर 2 की मात्रा "0.01 किग्रा." से प्रतिस्थापित की जाएगी ।		
53.	682	16	1. आयात मर 1 के बाद निम्नलिखित अतिरिक्त मर मात्रा समेत जोड़ी जाएगी । "2. प्लास्टिक कोम - नेट से नेट"		



1	2	3	4
54.	684	20	आयात मद 2 के बाद निम्नलिखित अतिरिक्त मद मात्रा समेत जोड़ी जाएगी “3. प्लास्टिक कोन — नेट से नेट”
55.	686	25	1. निर्यात मद के मौजूदा विवरण के अन्त में निम्न को जोड़ा जाएगा :— “डाइड एक्रिलिक यार्न ।” 2. आयात मद 6 के बाद निम्नलिखित अतिरिक्त मद मात्रा समेत जोड़ी जाएगी :— 7. डाइड एक्रिलिक [स्पन यार्न — निर्यात में 1.05 किग्रा./किग्रा. मात्रा
56.	689	43	निर्यात उत्पाद के विवरण को संशोधन उपरांत निम्न अनुसार पढ़ा जाएगा :— “पॉलीस्टर वैडिंग/नान बूवन पॉलीस्टर इन्टर — लाइनिंग ।”
57.	691	52	निर्यात उत्पाद का विवरण संशोधन पश्चात निम्न अनुसार पढ़ा जाएगा :— “सिल्वर/कार्डेड बैक्स सिंथेटिक रूई से निर्मित कट फार्मेस समेत ।
58.	702	133	आयात की मात्रा संशोधन उपरांत निम्न पढ़ी जाएगी :— “निर्यात में 1.05 किग्रा./किग्रा. मात्रा
59.	703	134	आयात की मात्रा संशोधन उपरांत निम्न रूप में पढ़ी जाएगी :— निर्यात में 1.05 किग्रा./किग्रा. मात्रा
60.	715 से 716		वस्तुओं हेतु सामान्य टिप्पणी टिप्पणी : 13. इस टिप्पणी के बाद निम्नलिखित टिप्पणियों को आगे जोड़ा जाएगा :— 14. जहां कहीं एक्रिलिक फाइबर का आयात अनुमित किया गया है, एक्रिलिक टो को भी बराबर मात्रा में एक्रिलिक फाइबर के विकल्प के तौर पर अनुमित किया जाए । 15. जहां कहीं आयात हेतु लाइनिंग सामग्री अनुमित की गई है, इसका तात्पर्य होगा निर्यात में वास्तव में प्रयोग की गई/प्रयोग होते वाली सभी सम्बद्ध लाइनिंग सामग्री ।”
<b>विविध</b>			
61.	723	22	1. निर्यात उत्पाद के विवरण में “सफेद बोर्ड से बने” शब्द हटा दिये जाएंगे । 2. आयात मद 1 के विवरण को निम्न से प्रतिस्थापित किया जाएगा :— (1) ग्राइवरी बोर्ड के अलावा सफेद बोर्ड/पेपर बोर्ड कोटेड/अनकोटेड (निर्यात में वास्तव में प्रयोग की गई/प्रयोग की जाने वाली सम्बद्ध मद अनुमित होगी) ।
<b>अथवा</b>			
1. (क) ग्राइवरी बोर्ड के अलावा सफेद बोर्ड/पेपर बोर्ड कोटेड/अनकोटेड (निर्यात वास्तव में प्रयोग की गई/प्रयोग की जाने वाली सम्बद्ध मद अनुमित होगी) तथा (ख) क्राफ्ट लाइनियर मात्रा अपरिवर्तित रहेगी ।			

सार्वजनिक सूचना सं. 219 दिनांक 23-6-94 का उपाबंध "ख"

## रसायन एवं सम्बद्ध उत्पाद

1365. पोलियामिनोएन इड	1 कि.ग्रा.	1. डाइमर फेटी सीड	0.803 कि.ग्रा.	
		2. ट्राइइथाइल टेट्रोमाइन	0.290 कि.ग्रा.	
1366. इंडोफिल जी 110 (अमोनियम पोलीक्रीलेट सोल्यूशन, पानी में रिओलोजी आशोधन के लिए, जिसमें ठोस अंश 1.5% + - 1% शामिल है)	1 मी. टन.	1. इथाइल एक्रीलेट	124 कि.	
		2. मिथाइलिक एसिड	105.7 कि.	
		3. एच डी पी ई	53.25 कि.	
1367. इंडोफिल 850 (पानी में) एक्रेलिक सोल्यूशन, डिस्पेंसिंग के लिए जिसमें 25% ठोस अंश शामिल है।	1 मी. टन.	1. मेथाएक्रेलिक एसिड	247 कि.	65
		2. एच डी पी ई	52.55 कि.	
1368. पोली आइसोसुयानेट सोल्यूशन 50% रेसिन/कुल ठोस अंश, इथाइल एसीटेर कन्टेन्ट साल्वेंट में	1 कि.	1. एडिपिक एसिड	0.012 कि.	
		2. आइसोफतालिक एसिड	0.037 कि.	
		3. मोनोइथाइलीन ग्लाइकोल	0.032 कि.	
		4. डाइइथाइलीन ग्लाइकोल	0.060 कि.	
		5. 1, 6 हैक्सीन डाइयोल	0.002 कि.	
		6. टोल्यून डाई-आइसो-सुयानेट	0.372 कि.	
		7. इथाइल एसीटेट	0.500 कि.	
1369. पीलीयूरेथेन रेजिन सोल्यूशन 66% की दर से रेजिन/इथाइल एसीटेट साल्वेंट में कुल सालिड कन्टेन्ट।	1 किलो	1. एडिपिक एसिड	0.107 कि.	
		2. आइसोफतालिक एसिड	0.308 कि.	
		3. मोनोइथाइलीन ग्लाइकोल	0.057 कि.	
		4. डाइइथाइलीन ग्लाइकोल	0.232 कि.	
		5. टोल्यून डाई आइसो सुयानेट	0.018 कि.	
		6. इथाइल एसीटेट	0.340 कि.	
1370. पालिएस्टर रेजिन सोल्यूशन 80% की दर से रेजिन कन्टेन्ट/ कुल सालिड इथाइल एसीटेट साल्वेंट	1 किलो	1. एडिपिक एसिड	0.133 कि.	
		2. आइसोफतालिक एसिड	0.384 कि.	
		3. मोनोइथाइलीन ग्लाइकोल	0.071 कि.	
		4. डाइइथाइलीन ग्लाइकोल	0.290 कि.	
		5. 1, 6 हैक्सीन एसीटेट	0.024 कि.	
		6. इथाइल एसीटेट	0.200 कि.	
1371. इथाइलीन बिससिट-परेमाइड (ल्यूब्रीकेटिंग सफेद पावर)	1 किग्रा.	1. स्टियरिक एसिड	0.959 किग्रा.	
		2. इथाइलीन डायामाइन	0.101 किग्रा.	
1372. एक्रीलिक रेजिन (डाईडर (आर-7000) कुल सालिड कन्टेन्ट 28-30%)	1 किग्रा.	3. एक्रीलिक एसिड	0.0043 किग्रा.	
		2. बूटाइल एक्रीलेट मोनोमर	0.172 किग्रा.	
		3. स्टाइरीन मोनोमर	0.095 किग्रा.	
		4. इमल्सीफायर्स/विशिष्ट रसायन	0.020 किग्रा.	
1373. एनीओनिकपोली एक्रीलेमाइड इमलशन (कुल सालिड कन्टेन्ट (30-40%))	1 किग्रा.	1. एक्रीलेमाइड	0.251 किग्रा.	
		2. एक्रेलिक एसिड	0.136 किग्रा.	
		3. साल्वेंट ऑयल (पैराफीनिक साल्वेंट)	0.286 किग्रा.	
		4. इमल्सीफायर	0.085 किग्रा.	
		5. विशिष्ट रसायन एवं मोनोमर	0.006 किग्रा.	

1	2	3	4	5	6
1374.	मेनकोजेब 80% (फकूताशी)	1 किग्रा.	1. मेनकोजेब 85% टेक्नीकल (जिंक ग्रायोन एवं मैंगनीज इथाइलीन बिस-आई-थियो-कार्बोनेट 1. इथाइलीन डायामाइन 2. कार्बिक सोडा 4. सोडियम लिग्नो सल्फोनेट 5. हैक्सामाइन	0.6120 किग्रा. 0.0816 किग्रा. 0.229 किग्रा. 0.01530 किग्रा. 0.01224 किग्रा.	
टिप्पणी :—उक्त मानदण्ड केवल एक वर्ष तक लागू रहेंगे :					
1375.	7-एमिनो 1,3, नेपथालीन, आई- सल्फोनिक एसिड (100% आधार पर)	1 किग्रा.	1. बीटा नेपथोल 2. फायरिंग किलन	1.003 किग्रा.	
1376.	सफेद पोर्टलैंड सीमेन्ट	1 मी. टन	1. फायरिंग किलन के लिए फर्नेस ऑयल	123 किग्रा.	
1377.	पेपर बोर्ड से तैयार डिब्बे	1 मी. टन	1. पेपर बोर्ड	1.10 मी. टन	
1378.	डिप्ड नायलोन टायर कोर्ड फैब्रिक	1000 कि.	1. कैपरोलेक्टन 2. बी पी लेटेक्स 3. स्पिन फिनिश ऑयल 4. मीरकैप्टो बेंजीमिडाजोल 5. रिमोसिनोल	1100 किग्रा. 40 किग्रा. 11.40 किग्रा. 3 किग्रा. 1 किग्रा.	
1379.	आई ड्राप्स (टाइमोलोल मैलिएट आप्यलिक यू एस पी सोल्यूशन ई ओ 25%)	1 × 5 एम एल	1. टाइमोलोल मैलिएट यू एस पी	0.020 ग्रा.	
1380.	सेलोफन पेपर	100 मी. टन	1. बुड पल्प (घुलनशील प्रकार के रेयन ग्रेड)	100.02 मी.टन.	
1381.	मैलेमाइन फार्मलडीहाइड रेजिन/ (ब्यूटाइलेटिड) 50% एक्टिव इन्फ्रेडिएंट्स	1 किग्रा	1. एल व्यूटानोल 2. मैलेमाइन 3. आइसोफतालिक एसिड	0.973 कि.ग्रा. 0.3 किग्रा. 0.10 किग्रा.	70
1822.	लेमिनेशन एडहेसिव	1 किलो	1. एडिपिक एसिड 2. आइसोफतालिक एसिड 3. नियोपेंटाइल अल्कोहल 4. ट्राइथिबाइलोल प्रोपन 5. प्रोप्रैलीन ग्लाइकोल 6. टोल्यूइन आई आइसोसुयानोट	0.350 किग्रा. 0.10 किग्रा. 0.20 किग्रा. 0.20 किग्रा. 0.10 किग्रा. 0.205 किग्रा.	70

1	2	3	4	4	5
1383.	टैरनिक्स रेंड एफ 2 बी एल (सीआई/डिस्पर्स रेड 167)	1 मी० टन	1. 2-क्लोरो-4-नाइट्रो एनाइलीन 2. मटा फिनाइलीन डायामाइन 3. इथाइलीन ऑक्साइड 4. फॉस्फोरिक एसिड 5. एसेटिक एसिड 6. एसेटिक एन्हाइड्राइड 7. सोडा ऐश 8. कार्बिक सोडा 9. सोडियम नाइट्राइट 10. एन्टी डस्टिंग एजेंट्स 11. ऑक्टानाल 12. लिग्नाइन सल्फोनेट	199 किग्रा. 246 किग्रा. 160 किग्रा. 186 किग्रा. 26 किग्रा. 416 किग्रा. 119 किग्रा. 823 किग्रा. 62 किग्रा. 20 किग्रा० 20 किग्रा. 400 किग्रा.	
1384.	डाइ-एन-प्रोपाइल एमाइन	1 किग्रा.	1. एन. प्रोपानॉल 2. अमोनिय एन्हाइड्रस 3. निकल कैटालिस्ट	1. 307 किग्रा. 0.184 किग्रा. 0.0017 किग्रा.	
1385.	टैरनिक्स रेड एफ बी जी एल 200% (सी आई डिस्पर्स, /य 60)	1 मी. टन	1. एन्थाक्विनॉन 2. फिनॉल 3. मिथानॉल 4. सोडा ऐश 5. ब्रोमाइन लिक्विड 6. बोरिक एसिड 7. सल्फ्यूरिक एसिड 8. कार्बिक सोडा लाइ 9. ओलियम 25% 10. पोटेशियम कार्बोनेट 11. एन्टी डस्टिंग एजेंट 12. ऑक्टानाल 13. लिग्नाइन सल्फोनेट	1070 किग्रा. 198 किग्रा. 426 किग्रा. 494 किग्रा. 688 किग्रा. 459 किग्रा. 1548 किग्रा. 352 किग्रा. 2419 किग्रा. 637 किग्रा. 20 किग्रा. 20 किग्रा. 400 किग्रा.	
1386.	टैरनिक्स रेड एफ बी जी एल 200% (सी आई डिस्पर्स, रेड 60)	1 मी. टन	1. 2-ब्रोमो-4-नाइट्रोक्सी 1-एमीनो एन्थाक्विनॉन 2. फिनॉल 3. मिथानॉल 4. सोडा ऐश 5. पोटेशियम कार्बोनेट 6. एन्टी डस्टिंग एजेंट 7. ऑक्टानाल 8. लिग्नाइन सल्फोनेट	668 किग्रा. 198 किग्रा. 426 किग्रा. 102 किग्रा. 275 किग्रा. 20 किग्रा. 20 किग्रा. 400 किग्रा.	
1387.	रिएक्टोपिक्स सुपरब्ल्यू एच आर एल	1 मी. टन	1. ब्रोमाइन एमिड 2. मैटा बेस इस्टर 2. एन्टी डस्टिंग एजेंट 4. ऑक्टानाल	660 किग्रा. 460 किग्रा. 20 किग्रा. 20 किग्रा.	

1	2	3	4	5
1388.	टैरेनिकम पिन्क एफ ग्रार एल 200% (सी आई डिस्पर्स रेड 91)	1 मी. टन	1. 2-थियो-4-हाइड्राक्सी-1-एमिनो एन्थ्राक्विनॉल (रोजाब्रोमाइड) 2. 1:6 हैक्सान्डॉयल 3. मिथानॉल 4. फास्फोरिक एसिड 5. कास्टिक पोटाश फ्लेक 6. फिनॉल 7. सोडा ऐश 8. पोटाशियम कार्बोनेट 9. एसेटिक एसिड 10. एन्टी डस्टिंग एजेन्ट्स 11. ऑक्टेनॉल 12. लिग्नाइन सल्फोनेट	670 किग्रा. 220 किग्रा. 800 किग्रा. 15 किग्रा. 121 किग्रा. 196 किग्रा. 125 किग्रा. 337 किग्रा. 100 किग्रा. 20 किग्रा. 20 किग्रा. 400 किग्रा.
1389.	क्रिस्टल वॉयलेट/क्रिस्टल वॉयलेट बेस	1 मी. टन	1. डाई-मिथाइल फोर्माइड 2. डाई-मिथाइल एनाइलीन 3. लैंड 4. एक्टीवेटेड कार्बन	550 किग्रा. 2040 किग्रा. 690 किग्रा. 100 किग्रा.
1390.	लियूको क्रिस्टल वॉयलेट	1 किग्रा.	1. डाई-मिथाइल एनाइलीन 2. डाई-मिथाइल फोर्माइड 3. एक्टीवेटेड कार्बन	1.62 किग्रा. 0.45 किग्रा. 0.090 किग्रा.
1391.	नैफथालीन सल्फोनेट फारमलीड- हाइड कन्डेंसेट 91% न्यूनतम	1 मी. टन	1. नैफथालीन	530 किग्रा.
1392.	3, 5 डाइनाइट्रो आर्थो टोल्यूडामाइन (98%)	1 कि.ग्रा.	1. आर्थोक्वाइलीन 2. डाई-मिथाइल फोर्माइड 3. थायोनाइल क्लोराइड 4. सोडियम हाइड्रोसल्फाइड 5. बेनाडियम पेन्टॉक्साइड	2.0 किग्रा. 0.7 किग्रा. 0.7 किग्रा. 0.1 किग्रा. 0.02 किग्रा.

क्रम सं०	निर्यात की मद		आयात की मद		मुख्य
	नाम	मात्रा	नाम	मात्रा	
1	2	3	4	5	6
1393.	3, 5 डाइनाइट्रो आर्थो टोलू- आमाइड (50%)	1 किग्रा.	1. आर्थोक्सीलीन 2. डी-मिथाइल फोर्माइड 3. थियोनील क्लोराइड 4. सोडियम पोइड्रोसल्फाइड 5. बेनेडियम पेन्टोक्साइड	1.0 किग्रा. 0.35 किग्रा. 0.35 किग्रा. 0.05 किग्रा. 0.01 किग्रा.	

1	2	3	4	5	6
1394.	फोर्टिफाइड प्रोकेन पेन्सिलीन जी 4 सेग इन्जेक्शन	1,00,000 वायर्स	1. पन जी. पोटाशियम (फसर्ट क्रिस्टल) 2. प्रोकेन एच सी एल 3. एन बुटाइल एसिटेट 4. एन-बुटाइल अल्कोहल	493.50 बी.ओ.यू. 173.24 किग्रा. 249.00 किग्रा. 100.00 किग्रा.	
1395.	1. (4-हाइड्रोक्सी 3-हाइड्रोक्सी मिथाइल फिनाइल) 2. (एन-टर्बुटाइल-एन-बेन्जील एमीनो) एथानोल सल्फ्टामोल सल्फेट के (ड्रग इन्टरमीडिएट)	1 किग्रा.	1. पी हाइड्रोक्सी एसिवा फिनोन 2. टेरटियरी बुटाइल एमाइन 3. सोडियम बोरोहाइड्राइड 4. एसिटिक एनहाइड्राइड 5. मेथिलीन क्लोराइड 6. क्लोरोफार्म 7. मिथाइल ब्राइसोबुटाइल कीटोन 8. ग्रीमाईन	1.99 किग्रा. 1.45 किग्रा. 0.38 किग्रा. 2.57 किग्रा. 4.91 किग्रा. 5.27 किग्रा. 3.74 किग्रा. 1.43 किग्रा.	
1396.	ब्लू बी बेस (सी आई सं 37235	1 किग्रा.	1. आर्थी नाईट्रोजन क्लोरो बेन्जीन 2. मेथानोल	0.7077 किग्रा. 0.4327 किग्रा.	300
1397.	0.5% निओमाइसिन और डेक्सामिथासोन सोडियम फासफेट यू एस पी 0.1% बाली डेक्सा- मिथासोन और निओमाइसीन आई/इयर ड्रॉप्स।	5 एम एल एक्स 1000 नग	1. डेक्सामिथासोन सोडियम फासफेट	5.25 ग्राम	400
1398.	इन्डस्ट्रियल/आटोमोटिव लुब्रीकेन्ट्स	1 किग्रा.	1. बेस मिनरल आयल 2. लूब आयल	निर्यात उत्पाद में प्रति किग्रा. अंश/ 1.03 किग्रा. निर्यात उत्पाद में प्रति किग्रा. अंश 1.03 किग्रा.	

सार्वजनिक सूचना सं० 219

दिनांक 23-6-94 का उपाबन्ध "ग"

इंजीनियरी उत्पाद

क्रम सं०	निर्यात की मव	आयात की मव	मूल्य संयोजन
नाम	मात्रा	नाम	मात्रा
1	2	3	4
5	6		
1206.	निम्नलिखित प्रकार के बिट्रीफाइड ग्राइडिंग व्हील्स :—		
(क)	माउन्टिड प्वाइन्ट्स ग्रेन बाण्ड अनुपात 85 : 15	1 किग्रा.	1. सिंथेटिक अल्यूमीनियम ब्राक्साइड/सिलीकान कार्बाइड
			निर्यात में प्रति किग्रा. अंश/ 1.08 किग्रा.

1	2	3	4	5
	(ख) होनिंग स्टोन/सूपर फिनीशिंग स्टोन्स-ग्रेन बाण्ड अनुपात 85 : 15	1 किग्रा.	1. सिथेटिक अल्युमीनियम आक्साइड/सिलीकान कार्बाइड	निर्यात में प्रति किग्रा. अंश/ 1. 20 किग्रा.
	(ग) पलोर पोलिशिंग ब्लैक्स, रबिंग ब्रिक्स, फिनिश स्टोन, सेगमेन्ट्स ग्रेन बाण्ड अनुपात 85 : 15	1 किग्रा.	1. सिथेटिक अल्युमीनियम आक्साइड/सिलीकान कार्बाइड	निर्यात में प्रति किग्रा. अंश/ 1. 08 किग्रा.
	(घ) बाल व्हील्स ग्रेन बाण्ड अनुपात 60 : 40	1 किग्रा.	1. सिलीकान कार्बाइड/बाण्ड	निर्यात में प्रति किग्रा. अंश/ 1. 15 किग्रा.
	(ङ) अन्य सभी विट्रीफाइड ग्राइडिंग व्हील्स ग्रेन बाण्ड अनुपात 85 : 15	1 किग्रा.	1. सिथेटिक अल्युमीनियम आक्साइड/सिलीकान कार्बाइड	निर्यात में प्रति किग्रा. अंश/ 1. 15 किग्रा.
1207.	निम्नलिखित प्रकार के ओर्गेनिक ग्राइडिंग व्हील्स			
	(क) डिप्रैस्ड सैन्टर व्हील्स ग्रेन बाण्ड अनुपात 75 : 25	1 किग्रा.	1. सिथेटिक अल्युमीनियम आक्साइड/सिलीकान कार्बाइड रेजिन	निर्यात में प्रति किग्रा. अंश/ 1. 08 किग्रा.
			2. ग्लास फाइबर	निर्यात में प्रति किग्रा. अंश/ 1. 03 किग्रा.
	(ख) रीइन्फोर्सड कटिंग आफ ग्रेन बाण्ड अनुपात 75 : 25	1 किग्रा.	1. सिथेटिक अल्युमीनियम आक्साइड/ सिलीकान कार्बाइड रेजिन	निर्यात में प्रति किग्रा. अंश/ 1. 08 किग्रा.
			2. ग्लास फाइबर डिस्क	निर्यात में प्रति किग्रा. अंश/ 1. 03 किग्रा.
	(ग) नान-रीइन्फोर्सड कटिंग आफ व्हील्स ग्रेन बाण्ड अनुपात 75 : 25	1 किग्रा.	1. सिथेटिक अल्युमीनियम आक्साइड/ सिलीकान कार्बाइड रेजिन	निर्यात में प्रति किग्रा. अंश/ 1. 08 किग्रा.
	(घ) ब्रिलेट ग्राइडिंग ग्रेन के लिए हाट प्रेस व्हील्स बाण्ड अनुपात 75 : 25	1 किग्रा.	1. सिथेटिक अल्युमीनियम आक्साइड/रेजिन आयरन पाइराइट, चौपड ग्लास स्ट्रैण्ड्स	निर्यात में प्रति किग्रा. अंश/ 1. 15 किग्रा.
	(ङ) सनैरिंग व्हील्स ग्रेन बाण्ड अनुपात 75 : 25	1 किग्रा.	1. सिथेटिक अल्युमीनियम आक्साइड/ सिलीकान कार्बाइड, रेजिन	निर्यात में प्रति किग्रा. अंश/ 1. 08 किग्रा.
	(च) नट इन्सर्टिड व्हील्स ग्रेन बाण्ड अनुपात 88 : 12	1 किग्रा.	1. सिथेटिक अल्युमीनियम आक्साइड/ सिलीकान कार्बाइड रेजिन	निर्यात में प्रति किग्रा. अंश/ 1. 15 किग्रा.

1	2	3	4	5	6
	(छ) प्वाइन्ट एवं फलविंग ग्रेन बाण्ड अनुपात 65 : 35	1 किग्रा.	1. सिथेटिक अल्युमीनियम ब्राक्साइड/ आयरन पाइराइट्स	निर्यात में प्रति किग्रा. अंश/ 1. 15 किग्रा.	
	(ज) रेजर ब्लेड ग्राइडिंग ग्रेन बाण्ड अनुपात 85 : 15	1 किग्रा.	1. सिलीकान कार्बाइड रेजिन	निर्यात में प्रति किग्रा. अंश/ 1. 15 किग्रा.	
	(झ) अन्य सभी ग्रील्स ग्रेन 75 : 25	1 किग्रा.	1. सिथेटिक अल्युमीनियम ब्राक्साइड/ सिलीकान कार्बाइड रेजिन	निर्यात में प्रति किग्रा. अंश/ 1. 15 किग्रा.	
1208.	हीटिंग एलिमेंट्स	1 नग	1. रेजिस्टेन्स बायर 9 एस डब्ल्यूजी	निबल से निबल	
1209.	सी आर/ए एल थर्मो कपल्स	1 नग	1. रीक्रिस्टालाइज्ड अल्युमीना शैथ	निबल से निबल	
1210.	हर्थ के लिए हार्ड अल्युमीना रिफ्रेक्टरी	1 नग	1. सिन्टर्ड अल्युमीना टाइल्स	निबल से निबल	
1211.	390 के बी सर्ज अरेस्टर्स/ लाइटिंग अरेस्टर्स	100 नग	1. जिंक ब्राक्साइड डिस्क 3" डायम, जी.ई. टाइप 9 एल 26 जेड एन डब्ल्यू 107	103 नग	
1212.	स्टील की कन्टीन्युअस कास्टिंग के लिए रिफ्रेक्टरी सबमर्ज्ड नोजल्स/ मोनोब्लाक स्टापर्स/टन्डिश नोजल्स	1000 किग्रा.	1. सिन्टर्ड/फ्यूज्ड अल्युमीना 2. फ्यूज्ड सिलिका 3. सिलीकान कार्बाइड 4. बोरॉन कार्बाइड 5. फ्यूज्ड जिंकोनिया	648 किग्रा. 339 किग्रा. 41 किग्रा. 41 किग्रा.	65
1213.	कोबाल्ट बेस हार्ड फेसिंग अलाय बायर राइस	1 किग्रा.	1. इन्ड्रेलाइट ग्रेड-1 (क) कोबाल्ट	54 किग्रा. निर्यात उत्पाद में प्रति किग्रा. अंश/ 1. 07 किग्रा.	
			(ख) क्रोमियम	निर्यात में प्रति किग्रा. अंश/ 1. 07 किग्रा.	
			(ग) नोजल्स	निबल से निबल	
			2. इन्ड्रेलाइट ग्रेड-12 (क) कोबाल्ट	निर्यात उत्पाद में प्रति किग्रा. अंश/ 1. 07 किग्रा.	
			(ख) क्रोमियम	निर्यात उत्पाद में प्रति किग्रा. अंश/ 1. 07 किग्रा.	
			(ग) नोजल्स	निबल से निबल	
			3. इन्ड्रेलाइट ग्रेड-4 (क) कोबाल्ट	निर्यात उत्पाद में प्रति किग्रा. अंश/ 1. 07 किग्रा.	
			(ख) क्रोमियम	निर्यात उत्पाद में प्रति किग्रा. अंश/ 1. 07 किग्रा.	
			(ग) नोजल्स	निबल से निबल	



1	2	3	4	5	6
1214.	विभिन्न आकारों के तांबे के तल के स्टेनलेस स्टील फाइपान	1 कि.ग्रा.	1. ए आई एस आई 304 के समरूप स्टेनलेस स्टील शीट्स। 2. कापर शीट्स 2 एम एम	निर्यात उत्पाद में प्रति कि.ग्रा. अंश/ 1. 30 कि.ग्रा. निर्यात उत्पाद में प्रति कि.ग्रा. अंश/ 1. 05 कि.ग्रा.	
1215.	विभिन्न आकारों के तांबे के तल के स्टेनलेस स्टील प्रेशर कूकर्स	1 कि.ग्रा.	1. ए.आई.एस.आई. 304 के समरूप स्टेनलेस स्टील शीट्स 2. कापर शीट्स 1 एम एम	निर्यात उत्पाद में प्रति कि.ग्रा. अंश/ 1. 30 कि.ग्रा. निर्यात उत्पाद में प्रति कि.ग्रा. अंश/ 1. 05 कि.ग्रा.	
1216.	विभिन्न आकारों के तांबे के तल के स्टेनलेस स्टील सासपैन	1 कि.ग्रा.	1. ए आई एस आई 304 के समरूप स्टेनलेस स्टील शीट्स 2. कापर शीट्स 2 एम एम	निर्यात उत्पाद में प्रति कि.ग्रा. अंश/ 1. 30 कि.ग्रा. निर्यात उत्पाद में प्रति कि.ग्रा. अंश/ 1. 05 कि.ग्रा.	
1217.	विभिन्न साइजों में तांबे के तले वाले स्टेनलेस स्टील कैंसरोल	1 कि.ग्रा.	1. स्टेनलेस स्टील शीट्स आई एस आई 304 के अनुरूप 2. 2 मि.मी. के कॉपर शीट्स	निर्यात उत्पाद में कि.ग्रा./कि.ग्रा. अंश निर्यात उत्पाद में 1. 05 कि.ग्रा./कि.ग्रा.	
1218.	ऑटोमोबाइल टायर के ट्यूब वाल्व	1 कि.ग्रा.	1. ब्रास स्क्रेप/ब्रास राड 2. नाइट्राइल/सिलिकॉन रबर/ टैफ्लॉन/ट्यूबिंग 3. रबर कैमिकल	निर्यात उत्पाद में 1. 10 कि.ग्रा./कि.ग्रा. अंश निर्यात उत्पाद में 1. 05 कि.ग्रा./कि.ग्रा. अंश निर्यात में रबर कन्टेन्ट का 8% भार	60
1219.	आउटडोर अवर, हैड टर्मिनेशन, किट्स, केबल ग्लैन्ड और/या बुश पी वी सी प्रोप्राउड और (सहित या रहित) रिग लॉक नट्स सहित	1 कि.ग्रा.	1. ब्रास स्क्रेप 2. पी वी सी कम्पाउन्ड 3. नान एलाय स्टील/कायल/स्ट्रिप/प्लेट/बार	निर्यात उत्पाद में 1. 075 कि.ग्रा./कि.ग्रा. अंश निर्यात उत्पाद में 1. 05 कि.ग्रा./कि.ग्रा. अंश निर्यात उत्पाद में 1. 05 कि.ग्रा./कि.ग्रा. अंश	45

## परिशिष्ट "ब" से सार्वजनिक सूचना सं० 219

दिनांक 23-6-94

खाद्य उत्पाद

क्रम सं०	निर्यात मद		आयात मद		मूल्य संयोजन
	नाम	मात्रा	नाम	मात्रा	
1	2	3	4	5	6
36.	जरकिन्स (अचारी फल और सब्जियां)	1 कि.ग्रा.	1. प्राकृतिक एलकोहोल विनेगर	0.4 लिटर	

## परिशिष्ट "ड"

सार्वजनिक सूचना सं० 219

दिनांक 23-6-94

चमड़ा और चमड़ा उत्पाद

1	2	3	4	5	6
65.	लेडीज लैबर सैडल ग्रपर	1 जोड़ा (1.25 वर्ग फीट फिनिशड ग्रपर लैबर पर आधारित)	1. सहायक उपसाधन (क) सिन्थेटिक लाइनिंग (ख) फुल इन्सोल सोक्स (सिन्थेटिक) (ग) एड्रेसिब (सिन्थेटिक/लिटेक्स) (घ) शु फिनिशिंग (पालिश) (ङ) शु फिनिशिंग (स्त्रे) (च) सिन्थेटिक थ्रू ड (छ) थर्मो प्लास्टिक शीट्स काउंटर के लिए (ज) रि-इन्फोर्समेंट टेप (1.5 से.मी. चौड़ा) (झ) ग्राई लैट्स (झ) मेटैलिक फिटिंग (ट) लोको (ठ) इलास्टिक (ड) वेलक्रो टेप	1.00 वर्ग मी. 0.4 वर्ग मी. 20 ग्राम 3 ग्राम 7 ग्राम 8 मीटर 0.013 वर्ग मीटर 0.40 मीटर नैट टू नैट नैट टू नैट नैट टू नैट नैट टू नैट नैट टू नैट	
			2. कन्ज्यूमेबल्स :— (क) क्लिकिंग बोर्ड (ख) बाइडिंग गॉज (ग) इन्डस्ट्रियल सीविंग मशीन नीडल/हैमर नीडल (घ) बैल/स्काइविंग नाइव्स (ङ) डैकी नाइव्स, स्पलिटिंग मशीन के लिए (च) ग्राइडिंग व्हील्स (छ) फीड रोलर्स	1 नग/7500 जोड़े 1 नग/10000 जोड़े 50 नग/1000 जोड़े 1 नग/2500 जोड़े 1 नग/5000 जोड़े 1 नग/2500 जोड़े 1 नग/5000 जोड़े	

1	2	3	4	5	6
3. कैंमिकल्स					
		(क)	प्रिसर्वेटिव्स		
		(ख)	बैंडिंग एजेंट्स		
		(ग)	सोडियम बाई सल्फेट		
		(घ)	सिन्टेक्स		
		(ङ)	सोडियम फार्मेट/एसेटेट		
		(च)	फार्मिक एसिड		
		(छ)	फैट लिफ्टर		
		(ज)	बाईडर	प्रक्रिया: पुस्तक, खण्ड 32	
		(1)	केसिन बेस	(संशोधित प्रकाशन मार्च, 1994)	
		(2)	रेजिनबेस	के पृष्ठ सं 563 पर क्रम सं० 3	
		(झ)	लेकर इमलशन	पर किए गए स्टैंडर्ड मानदण्डों	
		(ञ)	डाइज	के अनुसार।	
		(ट)	पिगमेंट्स		
		(ठ)	बोरेक्स		
		(ड)	इम्प्रीगमेंटिंग रेजिन		
		(ढ)	वेक्स इमलशन		
		(ण)	ऑक्जेलिक एसिड		
		(त)	ऐसेटिक एसिड		
		(थ)	सोडियम थायोसल्फेट		
		(द)	वेनेट्रेटिंग एजेंट		
		(ध)	स्लिप एजेंट		
66. फाइबर/फैल्सी लैडर ग्लव्स	एक जोड़ा	1.	(क) लाइनर्स	नैट टू नैट	
			(ख) क्लायथ लेबल्स	नैट टू नैट	
			(ग) हुक	नैट टू नैट	
			(घ) यू पी सी पेपर स्टीकर्स	नैट टू नैट	
			(ङ) हेन्ड टैग्स	नैट टू नैट	
			(च) प्राइस टिकटें	नैट टू नैट	
			(छ) थ्रेड :		
			(1) महिलाओं के लिए	16 मीटर	
			(2) पुरुषों के लिए	18 मीटर	
फिनिशड लैडर के 1000 वर्ग मीटर के लिए		2.	कैंमिकल्स		
			(क) सिन्टेन्स	इस उत्पादक समूह के अन्तर्गत	
			(ख) फार्मिक एसिड	क्रम सं० 3 में दिए गए मान-	
			(ग) बैटल एक्सट्रैक्ट	दण्डों के अनुसार अनुमित होगा।	
			(घ) फैट लिफ्टर		
			(ङ) बाईडर		
			(1) केसिन बेस		
			(2) रेजिन बेस		
			(च) लेकर इमलशन		
			(छ) डाइज		
			(ज) पिगमेंट्स		
			(झ) इम्प्रीगनेटिंग रेजिन		
			(ञ) वेनेट्रेटिंग एजेंट		
			(ट) वेक्स इमलशन		

टिप्पणी :—1 महिलाओं के लिए हेन्ड ग्लव्स के लिए 2 वर्ग फीट प्रति जोड़ा और पुरुषों के लिए 2.5 वर्ग फीट प्रति जोड़ा फिनिशड लैडर का औसत प्रयोग होगा।

परिशिष्ट "घ" से सार्वजनिक सूचना सं. 219

दिनांक : 23-6-1994

प्लास्टिक उत्पाद

1	2	3	4	5	6
241.	पी वी सी लैडर क्लाय/फोम लैडर क्लाय जिसमें 1000 ग्राम भार प्रति वर्ग मीटर + /- 5% कोटिंग हो।	1 वर्ग मीटर	1. पी वी सी रेजिन 2. पी वी सी प्लास्टसाइजर, (थैलिक, नान-थैलिक, इपाक्सी, पॉली-मेरिक) या 2 (क) 2 इथाइल हैक्सोन (आक्टेनोल) (ख) थैलिक एन्हाइडाइड 3. टाइटेनियम डार्ड आक्साइड/पिंग-मेंट्स 4. रिलीज पेपर (153-173 ग्रा./वर्ग मीटर) 5. प्रोसेसिंग एड 6. ब्लोइंग/फोमिंग एजेंट 7. पोलिएस्टर ऐड्रेसिव टेप्स जो अधिकतम 30 इंच चौड़ी हो बशर्ते जहाज पर्यन्त निष्पत्क मूल्य के 2 प्रतिशत तक अधिकतम हो। 8. यान (पॉलिएस्टर/कांटेन बिस्कोस) और बैकिंग माल के विभिन्न अनुपात में उसका संयोजन या बैकिंग माल के लिए बुने हुए/न बुने हुए फैब्रिक	617.52 ग्राम 300.44 ग्राम 171.00 ग्रा. 29.20 ग्रा. 0.5 वर्ग मी. 14.60 ग्राम 31.90 ग्राम निर्यात उत्पाद में उचित मात्रा का 1.06 किग्रा./कि.ग्रा./निर्यात उत्पाद में 1.05 वर्ग मीटर/वर्ग मीटर मात्रा	40

टिप्पणी : 1. पी वी सी रेजिन, पी वी सी प्लास्टसाइजर या 2 इथाइल हैक्सोन (ओक्टेनोल) और थैलिक एन्हाइडाइड, ब्लोइंग/फोमिंग एजेंट, टाइटेनियम ऑक्साइड/पिंगमेंट, प्रोसेसिंग एड के कोटिंग भार के बदलने पर इन सभी का आयात नीचे दिए गए फार्मूले के अनुसार होगा।

ए × बी                      जबकि ए = 1000 ग्रा. कोटिंग भार/वर्ग मीटर के लिए अनुमित मात्रा  
 —————                      बी = लैडर क्लाय के प्रस्तावित निर्यात पर प्रति वर्ग मीटर कोटिंग भार।

1000

उच्च मर्दों की मात्रा में कोई परिवर्तन नहीं होगा।

क्रमसं.	निर्यात मद		आयात मद		मूल्य
	नाम	मात्रा	नाम	मात्रा	संयोजन
1	2	3	4	5	6
242.	पीवीसी प्रिन्टेड लैंडर क्लाय/फोम लैंडर क्लाय कोटिंग सहित भार 1000 ग्र. प्रति वर्गमी. +/- 5 प्रतिशत	1 वर्ग मी.	1. पीवीसी रेजिन 2. पीवीसी प्लास्टिसाइजर पथालिक, नॉन पथालिक इपॉक्सी या 2 (क) ईथाइल हैक्सानॉल ऑक्टेनॉल (ख) पथालिक एन्हाइडाइड 3. एन्टी फंगल एजेंट 4. ब्यूटाइल बेंजाइल पथालेट प्लास्टिसाइजर 5. पॉलिमैरिक प्लास्टिसाइजर 6. ब्लोइंग/फोमिंग एजेंट 7. टाइटेनियम डाइऑक्साइड/ पिगमेंट्स 8. माइक्रोलिथ पिगमेंट्स 9. फॉमिंग एजेंट मैटिंग एजेंट 10. सालबैन्ट (एमईके/टोल्यून/ साइलो) 15. यार्न (पालिएस्टर/कांटन विस्कोज और बैकिंग सामग्री के लिए विभिन्न अनुपातों में इसका सम्मिश्रण या बैकिंग सामग्री के लिए घुने हुए/बिना घूने वस्त्र	587.38 ग्राम 405.30 ग्राम 83.71 ग्राम 161.51 ग्राम 7.58 ग्राम 22.72 ग्राम 7.58 ग्राम 7.58 ग्राम 30.38 ग्राम 7.78 ग्राम 13.62 ग्राम 40.00 ग्राम निर्यात उत्पाद में निहित प्रत्येक मद का 1.06 कि.ग्रा./ कि.ग्रा.—निर्यात उत्पाद में निहित 1.05 वर्ग मी / वर्ग मी.	40
टिप्पणी: 1. कोटिंग भाग में परिवर्तन के मामले में, पी वी सी रेजिन, पी वी सी प्लास्टिसाइजर या 2—ईथाइल हैक्सानॉल (ऑक्टेनॉल) और पथालिक एन्हाइडाइड, एन्टीफंगल एजेंट, ब्यूटाइल, बेंजाइल पथालेट, प्लारिडसाइजर, पालिमैरिक प्लास्टिसाइजर, ब्लोइंग/फोमिंग एजेंट, टाइटेनियम डाइऑक्साइड/पिगमेंट, माइक्रोलिथ पिगमेंट्स, फॉमिंग एजेंट/मैटिंग एजेंट और मद 10, 11, 12 के आयात की मात्रा का अनुमति निम्नलिखित सूत्र के आधार पर दी जाएगी।					
	$\frac{क \times ख}{1000}$		जब क = 1000 ग्राम कोटिंग भार/वर्ग मी. के लिए अनुमति मात्रा ख = लैंडर क्लाय का कोटिंग भार प्रतिवर्ग मी. निर्यात के लिए प्रस्तावित अन्य मदों की मात्रा में परिवर्तन नहीं किया जाएगा।		
243.	पालिएस्टर आधारित ओवर हेड प्रोजेक्टर फिल्म	1 कि.ग्रा.	1. पालिएस्टर डोल्ब्यूम 2. फालर 3. पिगमेंट 4. सैल्यूजो एसिटेट प्रोपायोनेट	1. 1 कि.ग्रा. 0.035 कि.ग्रा. 0.032 कि.ग्रा. 0.071 कि.ग्रा.	

1	2	3	4	5	6
244.	प्रिन्टेड लिड्स पालिप्रोपाइलीन सहित पालिकाबॉनेट ब्रेवी फीडिंग बोतल	1 कि. ग्रा.	1. पॉलिकाबॉनेट  2. पॉलिप्रोपाइलीन ग्रैन्यूल्स  3. ब्लिसर पैकिंग के लिए पीवीसी फिल्म  4. प्रिंटिंग स्याही	निर्यात में 1.05 कि. ग्रा./कि. ग्रा. अंश  निर्यात में 1.05 कि. ग्रा./कि. ग्रा. अंश. निर्यात पैकिंग में 1.05 कि. ग्रा./कि. ग्रा. अंश. निर्यात उत्पाद में निहित पालिकाबॉनेट और पालिप्रोपाइलीन का 0.20%	100
245.	ब्रेवी फीडिंग बोतल के लिए लेटेक्स (नैचुरल रबर)	1 कि. ग्राम	1. लेटेक्स रबर (नैचुरल रबर)  2. ब्लिसर पैकिंग के लिए पीवीसी फिल्म	निर्यात में 1.08 कि. ग्रा./कि. ग्रा. अंश निर्यात पैकिंग में 1.05 कि. ग्रा./कि. ग्रा.	100
246.	ब्रेवी फीडिंग बोतल के लिए सिलिकान रबर निप्पल	1 कि. ग्रा.	1. लिक्विड सिलिकान रबर  2. ब्लिसर पैकिंग के लिए पीवीसी फिल्म	निर्यात में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात पैकिंग में 1.05 कि. ग्रा./कि. ग्रा. अंश	50
247.	पालिप्रोपाइलीन लिड, प्रिन्टेड सहित पालिकाबॉनेट जूस कप	1 कि. ग्रा.	1. पालिकाबॉनेट रेजिन  2. पालिप्रोपाइलीन ग्रैन्यूल्स  3. ब्लिसर पैकिंग के लिए पीवीसी फिल्म  4. प्रिंटिंग स्याही	निर्यात में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात पैकिंग में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात उत्पाद में निहित पालिप्रोपाइलीन और पालिकाबॉनेट का 0.20 प्रतिशत	50

1	2	3	4	5	6
248.	पालिप्रोपाइलीन लिज और लेटेक्स नैचुरल रबर सहित पालिकाबोनेट से बना प्रिन्टेड बेबी सूदर	1 कि. ग्रा.	1. पॉलिकाबोनेट रेजिन 2. पॉलिप्रोपाइलीन रेजिन 3. ब्लिसर पैकिंग के लिए पीवीसी फिल्म 4. प्रिन्टिंग स्याही	निर्यात में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात पैकिंग में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात उत्पाद में निहित पॉलिप्रोपाइलीन और पालिकाबोनेट का 0.20 प्रतिशत	120
249.	प्रिन्टेड पॉलिप्रोपाइलीन लिज सहित पॉलिकाबोनेट पीने का कप	1 कि. ग्रा.	1. पॉलिकाबोनेट रेजिन 2. पॉलिप्रोपाइलीन ग्रैम्पूल्स 3. ब्लिसर पैकिंग के लिए पीवीसी फिल्म 4. प्रिन्टिंग स्याही	निर्यात अंश में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात अंश में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात पैकिंग में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात उत्पाद में निहित पॉलिकाबोनेट और पॉलिप्रोपाइलीन का 0.20%	120
250.	सिलिकान रबर मिप्पल सहित प्रिन्टेड, डेकोरेटिव पॉलिकाबोनेट बेबी सूदर	1 कि. ग्रा.	1. पॉलि कार्बोनेट रेजिन 2. सिलिकान रबर 3. ब्लिसर पैकिंग के लिए पीवीसी फिल्म 4. प्रिन्टिंग स्याही	निर्यात उत्पाद में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात उत्पाद में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात पैकिंग में 1.05 कि. ग्रा./कि. ग्रा. अंश निर्यात उत्पाद में निहित पॉलिकारबोनेट और पॉलिप्रोपाइलीन का 0.20 प्रतिशत	75

1	2	3	4	5	6
251.	प्रिन्टेड पॉलिप्रोपाइलीन बॉबी फीडिंग बोतल	1 कि. ग्रा.	1. पालिप्रोपाइलीन ग्रैन्यूल्स	निर्यात में 1.05 कि. ग्रा./कि. ग्रा. अंश	125
			2. प्रिन्टिंग स्याही	निर्यात उत्पाद में में निहित पालि कार्बोनेट और पालि-प्रोपाइलीन का 0.20% प्रतिशत	
252.	मल्टीलेयर एक्सट्रूडेड प्लास्टिक पैकेजिंग मेटेरियल (प्रिन्टेड-5 प्लार्ड)	1 कि. ग्रा.	1. एल डी पी ई/एल एल डी पी ई (फिल्म ग्रेड)	निर्यात उत्पाद में 1.12 कि. ग्रा./कि. ग्रा. निहित	
			2. इथाईलीन अक्रिलिक एसिड कोपोलिमर ग्रैन्यूल्स	निर्यात उत्पाद में 1.10 कि. ग्रा./कि. ग्रा. निहित	
			3. अल्युमीनियम फायल	निर्यात उत्पाद में 1.10 कि. ग्रा./कि. ग्रा. निहित	
			4. यू डी ई	निर्यात उत्पाद में एल डी पी ई एल एल डी पी ई के भार का 0.5%	
			5. यू.पी. बॉनिश	निर्यात उत्पाद में एल डी पी ई/एल डी पी ई के भार का 0.3 प्रतिशत	
253.	मल्टीलेयर एक्सट्रूडेड प्लास्टिक सेमिनेटड ट्यूब दिव इन्सर्ट एण्ड कैप्स (5 प्लार्ड प्रिन्टेड)	1 कि. ग्रा.	1. एल डी पी ई/एल एल डी पी ई (फिल्म ग्रेड)	निर्यात उत्पाद में 1.17 कि. ग्रा./कि. ग्रा. निहित	
			2. इथाईलीन अक्रिलिक एसिड कोपोलिमर ग्रैन्यूल्स	निर्यात उत्पाद में 1.17 कि. ग्रा./कि. ग्रा. निहित	
			3. अल्युमीनियम फायल	निर्यात उत्पाद में 1.12 कि. ग्रा./कि. ग्रा. निहित	
			4. मास्टर बॉय	एल डी पी ई/एल एल डी पी ई के भार का 1.2 प्रतिशत	



1	2	3	4	5	6
		5. यू वी इंक		निर्यात उत्पाद के एल डी पी ई/ एल एल डी पी के भार का 0.5%	
		6. यू वी वार्निश		निर्यात उत्पाद में एल डी पी ई/ एल एल डी पी ई के भार का 0.3%	
		7. एच डी पी ई ग्रैन्गुलस (फार शोल्डर आफ द ट्यूब)		निर्यात उत्पाद में 1.05 कि. ग्रा./ कि. ग्रा. निहित	
		8. पोलिप्रोपिलीन ग्रैन्गुलस फार कैप्स		निर्यात उत्पाद में 1.05 कि. ग्रा./ कि. ग्रा. निहित	
254.	मल्टी लेयर प्लास्टिक लेमिनेटेड ट्यूब बिद (7 प्लाई-प्रिन्टेड)	1 कि. ग्रा०	1. एल डीपीई/एल एल डी पी ई (फिल्म ग्रैंड)	निर्यात उत्पाद में 1.22 कि. ग्रा./ कि. ग्रा. निहित	
3			2. इथाईलीन अक्रैलिक एसिड	निर्यात उत्पाद में 1.22 कि. ग्रा./ कि. ग्रा. अंश	
			3. अल्युमीनियम फायल	निर्यात उत्पाद में 1.15 कि. ग्रा./ कि. ग्रा. अंश	
			4. यू वी इंक	निर्यात उत्पाद के एल डी पी ई/ एल एल डी पी ई के भार का 0.5 प्रतिशत	
			5. यू वी वार्निश	निर्यात उत्पाद के एल डी पी ई/ एल एल डी पी ई के भार का 0.3 प्रतिशत	
			6. एच डी पी ई ग्रैन्गुलस फार शोल्डर आफ द ट्यूब	निर्यात उत्पाद में 1.05 कि. ग्रा./ कि. ग्रा. अंश	
			7. पोलि प्रोपिलीन ग्रैन्गुलस (फार कैप्स)	निर्यात उत्पाद में 1.05 कि. ग्रा./ कि. ग्रा. निहित	

सार्वजनिक सूचना सं. 219  
दिनांक 23-6-94 का उपाबंध "छ"  
खेल-कूद का सामान

क्रम सं.	निर्यात की भव		आयात की भव		मूल्य संयोजन
	नाम	मात्रा	नाम	मात्रा	
1	2	3	4	5	6
7.	लैंग गार्ड	एक जोड़ी	1 पी यू कोटेड	निर्यात में 1.05 कि. ग्रा./कि. ग्रा. अंश	
8.	बैटिंग ग्लव्स	एक जोड़ी	1 पी यू कोटेड	निर्यात में 1.08 कि. ग्रा./कि. ग्रा. अंश	

सार्वजनिक सूचना सं. 219  
निकां 23-6-1994 का उपाबंध "ज"  
कपड़ा उत्पाद

1	2	3	4	5	6
225.	100 प्रतिशत पोलियस्टर सीविंग थ्रो ड ड्राइड	1 कि. ग्रा.	1. 5 डेनियर तक पोलियस्टर फाइबर	निर्यात उत्पाद में 1.025 कि. ग्रा./कि. ग्रा. अंश	
			2. रेलेवेन्ट ड्राइड	0.02 कि. ग्रा.	
222.	मोहायर पोलियस्टर मिक्सड ब्लैकेट रेस्ड	1 कि. ग्रा.	1. मोहायर टाप्स	निर्यात उत्पाद में 1.26 कि. ग्रा./कि. ग्रा. अंश	125
			2. पोलियस्टर टेक्सराइज्ड यार्न	निर्यात उत्पाद में 1.05 कि. ग्रा./कि. ग्रा. अंश	
223.	स्पन सिल्क यार्न	1 कि. ग्रा.	1. सिल्क टाप्स	निर्यात उत्पाद में रेशम सामग्री का 1.05 कि. ग्रा./कि. ग्रा. अंश	
224.	महिलाओं की स्कर्ट (क्रिन्कल्ड टाइप)	1 कि. ग्रा.	1. रॉ सिल्क यार्न या	निर्यात उत्पाद में 1.23 कि. ग्रा./कि. ग्रा. अंश	
			1. सिल्क फेब्रिक	निर्यात उत्पाद में 1.03 कि. ग्रा./कि. ग्रा. अंश	

## MINISTRY OF COMMERCE

Public Notice No. 219(PN)/92—97

New Delhi, the 23rd June, 1994

Subject.—Handbook of Procedures, Vol. II, 1992—97—Input-Output, Value Addition Norms and details of Sensitive Items.

F.No. 6/93/93-IPC.II.—Attention is invited to Handbook of Procedures, 1992—97 Vol. II, Published under Notice No. 205((PN)/92—97 dated 30-3-94 on the above mentioned subject.

2. In the statement of Standard Input-Output, Value Addition Norms and list of Sensitive Items, amendments at appropriate places as mentioned in Annexure “A” to this Public Notice shall be made.

3. In the statement of Standard Input-Output and Value Addition Norms, following additions shall be made at appropriate places as mentioned below :

## CHEMICALS AND ALLIED PRODUCTS

(1) After Entry No. 1364, the new entries from Sl. No. 1365 to 1398 shall be added as per Annexure “B” to this Public Notice.

## ENGINEERING PRODUCTS

(2) After Entry No. 1205, the new entries shall be added from Sl. No. 1206 to 1219 as per Annexure “C” to this Public Notice.

## FOOD PRODUCTS

(3) After Entry No. 35, the new entry shall be added as Sl. No. 36 as per Annexure “D” to this Public Notice.

## LEATHER AND LEATHER PRODUCTS

(4) After Entry No. 64, the new entries shall be added from Sl. No. 65 to 66 as per Annexure “E” to this Public Notice.

## PLASTICS

(5) After Entry No. 240, the new entries shall be added from Sl. No. 241 to 254 as per Annexure “F” to this Public Notice.

## SPORTS GOODS

(6) After Entry No. 6, the new entries shall be added from Sl. No. 7 to 8 as per Annexure “G” to this Public Notice.

## TEXTILES

(7) After Entry No. 221, the new entries shall be added from Sl. No. 222 to 225 as per Annexure “H” to this Public Notice.

This issues in public interest.

DR. P. L. SANJEEV REDDY, Dir. Gen.  
of Foreign Trade.

Annexure "A" to  
Public Notice No. 219  
Dated 23-6-94.

## AMENDMENTS/CORRECTIONS

Sl. No.	Page No.	Reference	Amendments/Corrections
(1)	(2)	(3)	(4)
1.	35	Chemicals & Allied Product Sl. No. 206	In the description of import item 1(a), the "40%" printed alongwith the item "Metronidazole" shall be deemed to have been deleted and written alongwith the item "Glyoxal".
2.	63	Chemicals & Allied Product Sl. No. 468	The input-output norms covered by this entry shall be substituted by the following :

Sl. No.	Export Item Name	Qty.	Import Item Name	Qty.	Value Addition
(1)	(2)	(3)	(4)	(5)	(6)
468	Methyl Violet Base, Solvent Violet-8 (CI No. 42535.1 Ink grade) containing 50% sur- face active agent.	1 kg.	1. N.N. Di-methyl Aniline. 2. Berol (surface acti- tive agent) 3. Sodium Chlorate 4. Phenol.	0.7 kg. 0.5 kg. 0.175 kg. 0.408 kg.	

3.	101	Chemicals & Allied Product Sl. No. 804	A value addition of "150% " shall be added in the relevant column against this entry.
4.	110	Chemicals & Allied product Sl. No. 903	The input output norms covered by this entry shall be substituted by the following :

Sl. No.	Export Item Name	Qty.	Import Item Name	Qty.	Value addition.
1	2	3	4	5	6
903	Dimethyl Sulphate	1 kg.	1. Methanol 2. Sulphur	0.561 kg. 0.279 kg.	

5.	135	Chemicals & Allied Product Sl. No. 1123	The following note shall be added after this entry :- Note—In case of different percentage of EC, the input requirements may be worked out on pro-rata basis.
6.	135	Chemicals & Allied Product Sl. No. 1124	The description of item 1 and quantity thereof shall be corrected to read as under : "Cypermethrin Technical (92% minimum) 0.11kg.
7.	135	Chemicals & Allied Product Sl. No. 1125	1. The description of export product shall be corrected to read as "Cypermethrin 5% EC". 2. The note below this entry shall be deleted.

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
8.	137	Chemicals & Allied Product Sl. No. 1144	The description of import item 1, shall be corrected to read as under : “Dimethyl Phosphorochlorido Thioate”.
9.	138	Chemicals & Allied Product Sl. No. 1156	The description of import item 2, shall be corrected to read as under : “O, O Diethyl Thio Phosphoric Acid Chloride”
10.	139-140	Chemicals & Allied Product. Sl. No. 1161	At the end of note 4 below this entry, the following shall be added : “Out of 9 kg. of synthetic rubber allowed, import of VP latices shall not exceed 0.6 kg”.
11.	146	Chemicals & Allied Product Sl. No. 1186	The description of import item 2, shall be amended to read as under : “Synthetic Rubber (SBR) (1502/1712) /HSR/PBR/Nitrile Rubber (Only relevant item used/to be used in export product shall be allowed for import) .
12.	147	Chemicals & Allied Product Sl. No. 1194.	A value addition of 100% shall be added in the relevant column against this entry.
13.	149	Chemicals & Allied Product Sl. No. 1198	1. Along with the description of the export product, the following shall be added at the end : “/Vee Belts with Kevlar”. 2. In the description of import item 1. alongwith the item Nylon, “/Kevlar” shall be added
14.	160	Chemicals & Allied Product Sl. No. 1232	A value addition of “350%” shall be added in the relevant column against this entry.
15.	162	Chemicals & Allied Products Sl. No. 1246	The description of alternative import item 3, shall be amended to read as under : “Empty steel cylinders of 13.6 kg/30 lb. Gas capacity (cylinder steel gauge size upto 1.30 mm). OR Steel drums upto 295 kg. capacity”. The quantity will remain unchanged.
16.	162-63	Chemicals & Allied product S.No. 1247	The description of alternative import item 3, shall be amended to read as under : “Empty steel cylinders of 13.6. kg/30 lb. Gas capacity (cylinder steel gauge size upto 1.30 mm.) OR Empty steel cylinder of 22.7 kg /50 lb. gas capacity (cylinder steel gauge size upto 1.6 mm” The quantity will remain unchanged.
17.	163	Chemicals & Allied Product Sl. No. 1248	The description of alternative import item 3, shall be amended to read as under : “Empty steel cylinder of 13.6 kg/30 lb. Gas Capacity (Cylinder steel gauge size. upto 1.30 mm). OR Empty steel cylinder of 22.7 kg/50 lb. gas capacity (cylinder steel gauge size upto 1.60 mm)) The quantity will remain unchanged.

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
18.	169	Chemicals & Allied Product. Sl. No. 1287	1. A value addition of "200%" shall be added the relevant column against this entry. 2. After item 6' the following additional item with quantity shall be added in the relevant columns : "7. Duplex Board for nnercarton" —19 gms.
19.	180	Electronics Sl. No. 12	1. The quantity of export shall be corrected to read as 1,00,000 Nos. 2. Import item Nos. 2(b) & 3 in the beginning of list of items before item No. 1 shall be deleted. 3. The item 2(b) with quantity shall be amended to read as under: "2(b) Plastic Parts (Hubs and Rollers—2,02,000 sets. AND International Covers. 1,01,000 Nos. OR Plastic Powder (Polystyrene) 6,000 kgs. AND Polyacetal 292 kgs. 4. Item 3 shall be deleted.
20.	181	Electronics Sl. No. 13	Item 6 with quantity shall be amended to read as under :— "Master Carton — 110 Nos. OR Card Board Paper. — 79 kgs."
21.	189	Electronics Sl. No. 28	1. In the import quantity against Item No. 9, the words "Square mm" shall be corrected to read as "Sq. meters". 2. In the import quantity against item No. 14, the word "kg." shall be corrected to read as "Meters".
22.	189-190	Electronics Sl. No. 30	1. The description of import item 2 shall be corrected to read as under ; "Soldering big". 2. The description of import item 8 shall be corrected to read as under: "Braided 250 mm long sleeves".
23.	189-190	Electronics Sl. No. 31	1. The description of import item 12 with quantity there against shall be amended to read as under "Ceramic Metal Housing—1135 Nos. OR Glass Metal Housing—1135 Nos" 2. The import item 13 with quantity there against shall be deleted.
24.	201-202	Electronics Sl. No. 92	Import item 3(n) shall be deleted.
25.	215-216	Electronics Sl. No. 116	After import item 21, the following additional item with quantity shall be added : "22. Lead wire 6" —Net to net +5% wastage 23. Crimped connectors—Net to net +5% wastage
26.	235	Electronic Sl. No. 153	After item, 1, the following item with quantity shall be inserted. "2. Silver Discs—1135 Nos."

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4
27.	235	Electronics Sl/No. 154	In the description of import items, the item 2, Silver Discs with quantity before item No. 1, shall be deleted.
28.	276	Electronics/Sl. No. 219	1. The item 4, shall be amended to read as "Transistors". 2. After item No. 40 the following additional item shall be added : "41. PCB (Single)/PTH".
29.	344	Engineering/Sl. No. 156	The quantity of import item 3, shall be corrected to read as "6.63 kg."
30.	478	Engineering/Sl. No. 712	After import item 4, the following additional item with quantity shall be added : 500 Kg: "5. Iron Ore/Iron Ore concentrates/iron ore pellets having 65% or more iron".
31.	493	Engineering/Sl. No. 794	A value addition of "75 %" shall be added in the relevant column against this entry.
32.	259	Engineering/Sl. No. 1063.	The description of import item 1, shall be amended to read as under : "Non-alloy steel rounds and /or billets and/or rolled sections viz. plate/flat/strip/bar/rod".
33.	529	Engineering/Sl. No. 1064	1. The description of import item 1 shall be amended to read as under : "Non-alloy steel rounds and/or billets and/or rolled sections viz. plate/flat/strip/bar/rod". 2. After item 2 the following additional item with quantity shall be added : "3. Consumables like HOB/upto 3% of FOB Graphite tools —value of export".
34.	532	Engineering/Sl. No. 1079	A value addition "70%" shall be added in the relevant column against this entry.
35.	508 & 535, 536	Engineering/Sl. No. 928 & 1095 to 1100	The input output norms covered by these entries shall be substituted by Annexure-I to this Public Notice.
36.	540-542	Engineering/Sl. No. 1115 to 1122, 1128	The description of export products covered by these entries shall be amended as under :  Sl. No. Description of the export product.  1115 Thinwalled engine bearings, bushing and thrust washers in steel backed copper based Alloy F-770/SL/KS30/GS30/F-40.  1116 Thinwalled engine bearings, bushing and thrust washers in steel backed copper based high tin Alloy F-780/SP/H-24/GS/25/KS25/G-41/SAE-49.

Sl. No.	Page No.	Reference	Amendments/Corrections
1	2	3	4

Sl No.	Description of the export product
1117	Thinwalled engine bearings, bushing and thrust washers in steel backed copper based Alloy F-100/SY HF2/LS10/GS10/Glyco-46/SAE-797.
1118	Thinwalled engine bearings, bushing and thrust washers in steel backed copper based alloy F-250/SX/HF-16 or H-116/LS-23/GS-23/Glyco-43/SAE-799.
1119	Thinwalled engine bearings, bushing and thrust washers in steel backed aluminium based Alloy AS-15/F-820/F-157/GA-20/A-20/G-74/TR 20/SAE-783.
1120	Thinwalled engine bearings, bushing and thrust washers in steel backed aluminium based Alloy AS11/GA-6/A-6/G-78/A-300/SAF-770.
1121	Thinwalled engine bearings, buseing and thrust washers in steel backed tin based white metal Alloy L-2/GL-12/W-90/G-32/B-100/SAE-12.
1122	Thinwalled engine bearings, bushing and thrust washers in steel backed lead based white metal Alloy GM-155/GL-13/L-100/F-99/SAE-13.
1128	Thinwalled engine bearings, bushing and thrust washers in steel backed cast copper based alloy F-112/F-77/F-770.

37. 545 Engineering/ Sl. No. 1139 The input output norms covered by this entry shall be substituted by the following :

Sl.	Export item		Import item		Value addition
No.	Name	Qty.	Name	Qty.	
1	2	3	4	5	6
1139	Lead Ingots 99.97% purity/Antimonial Lead (lead Antimony alloy)	1 kg.	1. Cable sheethings scrap 'RACKS" OR 1. whole drained Batteries scrap "RAINS" 1. Items in combination of above.	1.10 kg/kg of relevant scrap contained in the export. 2 kgs. To be allowed as per the wastage allowed. above.	

38. 547 Engineering/Sl. No. 1164 The input output norms covered by this entry shall be deleted.

39. 605-614 Leather & Leather products/ Sl. No. 36 to 42 In these entries, the description of import item 1(c), shall be amended to read as under :  
"Relevant guilting material like polyester wadding etc./foam lining.(The item sought for import must. be used in the export product)."



Sl. No.	Page No.	Reference	Amendments/corrections.
1	2	3	4
40.	614-616	Leather & Leather Product Sl. No. 43	The input output norms covered by this entry shall be substituted by norms as per Annexure "J" to this Public Notice.
41.	620-621	Leather & Leather products Sl. No. 55.	1. The value addition shall be corrected to read as "200%". 2. The quantity of import item 1(b)(i), shall be corrected to read as "0.025 litre".
42.	635	Plastics Sl. No. 16	This entry alongwith the input output norms shall be deleted.
43.	635	Plastic Sl. No. 17 to 24	A value addition of "100%" shall be added in the relevant column against these entries.
44.	639-640	Plastics Sl. No. 40 & 43 to 46	A value addition of "50%" shall be added in the relevant column against these entries.
45.	649	Plastics Sl. No. 77	The import item 2, with quantity shall be amended to read as under :— "2. Paraformaldehyde (90-92% purity)" —263.96 kgs.
46.	650	Plastics Sl. No. 79	The import item 3, with quantity shall be amended to read as under :— "2. Paraformaldehyde (90-92% purity)" —142.63kgs.
47.	652	Plastics Sl. No. 89	The input output norms covered by this entry shall be substituted by the following :—

Sl. No.	Export item	Qty.	Import Item	Value addition
1		2	3	4
89.	Multilayer extruded plastic packaging material (Unprinted-5 Ply)	1 kg.	1. LDPE/LLDPE (Film Grade) 2. Ethylene Acrylic Acid copolymer granules. 3. Aluminium Foil	1.12 kg/kg. contained in the export product. 1.10 kg/kg. contained in the export product. 1.10 kg/kg. contained in the export product.

48.	656	Plastics Sl. No. 109	The input output norms covered by this entry shall be substituted by the following:—
-----	-----	-------------------------	--

Sl. No.	Export Item		Import Item		Value Addition
	Name	Qty.	Name	Qty.	
(1)	(2)	(3)	(4)	(5)	(6)
109.	Plastic Hollow Corrugated Board made from polypropylene	1 kg.	1. Polypropylene (copolymer grade)	1.063 kg.	
			2. Stabilizer	0.005 kg.	
			3. Pigments	0.032 kg.	

Sl. No.	Page No.	Reference	Amendments/Corrections
(1)	(2)	(3)	(4)
49.	667-668	Plastics Sl. No. 171 to 177	Consequent on fixation of a general norms vide Sl. No. 241 & 242 under this product group, norms covered by these Sl. Nos. shall be deleted.
50.	671	Plastics Sl. No. 194	The description of the export product shall be amended to read as under:— “Rigid PVC Thermoforming film/foil/-sheet.”
51.	679	Sports Goods Sl. No. 2	1. In item No. 2, the word “Fippel” shall be deleted. 2. The words “Linear Mtr” alongwith the quantity of import, shall be substituted by “Square Meters”.
52.	682	Textiles Sl. No. 14	The quantity of import item 2, shall be substituted by “0.01 kg.”
53.	682	Textiles Sl. No. 16	1. After import item 1, the following additional item with quantity shall be added:— “2. Plastic Cone—Net to net”.
54.	684	Textiles Sl. No. 20	1. After import item 2, the following additional item with quantity shall be added:— “3. Plastic Cone—Net to net.”
55.	686	Textiles Sl. No. 25	1. At the end of the existing description of the export product, the following shall be added:— “/dyed acrylic spun yarn.” 2. After import item 6, the following additional item with quantity shall be added:— “7. Dyed acrylic spun yarn —1.05 kg/kg content in export.”
56.	689	Textiles Sl. No. 43	The description of the export product shall be amended to read as under:— “Polyester wadding/non-woven polyester inter lining.”
57.	691	Textiles Sl. No. 52	The description of the export product shall be amended to read as under:— “Sliver/carded webs including cut forms made from synthetic waste.”
58.	702	Textiles Sl. No. 133	The quantity of import item 1 shall be amended to read as under:— “1.05 kg/kg content in export.”
59.	703	Textiles Sl. No. 134	The quantity of import item 1 shall be amended to read as under:— “1.05 kg/kg content in export”.

Sl. No.	Page No.	Reference	Amendments/Corrections
(1)	(2)	(3)	(4)
60.	715—716	General Note For Textiles Note 13.	After this note, the following further notes shall be added:— “14. Wherever import of Acrylic Fibre has been allowed, Acrylic Tow may also be allowed as an alternative of acrylic fibre with the same quantity. 15. Wherever lining material has been permitted for import, this would mean all relevant lining material actually used/to be used in the export”.
61.	723	Miscellaneous Sl. No. 22	1. In the description of the export product, the word “made out of white board” shall be deleted. 2. The description of import item 1, shall be substituted by the following:— “1. White Board/Paper Board coated/uncoated other than Ivory Board (only relevant item actually used/to be used in export shall be allowed). OR 1 (a) White Board/Paper Board Coated/Uncoated other than Ivory Board (only relevant item actually used/to be used in export shall be allowed). AND (b) Kraft liner”. The quantity will remain unchanged.

Annexure “B”

Public Notice No. 219

Dated 23-6-24

## CHEMICALS AND ALLIED PRODUCTS

Sl. No.	Name	Export Item	Qty.	Name	Import Item	Qty.	Value Addition
(1)	(2)	(3)	(4)	(5)	(6)		
1365	Polyamino Amide 115	1 kg	1. Dimer Fatty Acid 2. Triethylene Tetramine	0.803 kg 0.290 kg			
1366	Indofil G 110 (Ammonium Polyacrylate in water for Rheology modification having solid content 21.5 —/- 1M	1 MT	1. Ethyl Acrylate 2. Methacrylic Acid 3. HDPE	124 kgs 105.7 kgs 53.55 kgs	65		

1	2	3	4	5	6
1367	Indofil 850 (Acrylic Solution in water for dispersing having 25% solid content)	1 MT	1. Methacrylic Acid 2. HDPE	247 kgs 53.55 kgs	65
1368	Poly Isocyanate Solution 50% Resin/Total Solid content in Ethyl Acetate Solvent	1 kg	1. Adipic Acid 2. Isophthalic Acid 3. Monoethylene Glycol 4. Diethylene Glycol 5. 1, 6 Hexane-Diol 6. Toluene Di-Isocyanate 7. Ethyl Acetate	0.012 kg 0.037 kg 0.032 kg 0.060 kg 0.002 kg 0.372 kg 0.500 kg	
1369	Polyurethane Resin solution —66% Resin/Total Solid content in Ethyl Acetate Solvent	1 kg	1. Adipic Acid 2. Isophthalic Acid 3. Monoethylene Glycol 4. Diethylene Glycol 5. Toluene Di-Isocyanate 6. Ethyl Acetate	0.107 kg 0.308 kg 0.057 kg 0.232 kg 0.018 kg 0.340 kg	
1370	Polyester Resin Solution — 80N Resin Content/Total Solid Ethyl Acetate Solvent	1 kg	1. Adipic Acid 2. Isophthalic Acid 3. Monoethylene Glycol 4. Diethylene Glycol 6. 1, 6 Hexane-Diol 6. Ethyl Acetate	0.133 kg 0.384 kg 0.071 kg 0.290 hg 0.024 kg 0.200 kg	
1371	Ethylene-bis-Stearamide (Lubricating White Powder)	1 kg	1. Stearic Acid 2. Ethylene Diamine	0.959 kg 0.101 kg	
1372	Acrylic Resin Binder (R-7000) Total Solid content 28-30%	1 kg	1. Acrylic Acid 2. Butyl Acrylate Monomer 3. Styrene Monomer 4. Emulsifiers/Speciality Chemicals	0.0043 kg 0.172 kg 0.095 kg 0.20 kg	
1373	Anionic Polyacrylamide Emulsion (Total Solid content 30—40%)	1 kg	1. Acrylamide 2. Acrylic Acid 3. Solvent Oil (Paraffinic Solvent) 4. Emulsifiers 5. Speciality Chemicals & Monomer	0.251 kg 0.136 kg 0.286 kg 0.086 kg 0.006 kg	
1374	Mancozeb 80% (Fungicide)	1 Kg	1. Mancozeb 85% Tech. (Zinc Ion & Manganese Ethylene Bis-Di-Thio Carbonate) 2. Ethylene Diamine 3. Caustic Soda 4. Sodium Lignosulphonate 5. Hexamine	0.6120 kg 0.0816 kg 0.2295 kg 0.01530 kg 0.01224 kg	

Note : The above norm will be in operation for one year only.

1375	7-Amino 1, 3, Napthalene Di Sulphonic Acid (on 100% basis)	1 kg	1. Beta Naphthol	1.003 kgs	
------	--	------	------------------	-----------	--

1	2	3	4	5	6
1376	White Portland Cement	1 MT	1. Furnace Oil for Firing Kiln	123 kgs	
1377	Cartons made of Paper Board	1 MT	1. Paper Board	1.10 MT	
1378	Dipped Nylon Tyre Cord Fabric	1000 kg	1. Caprolactum 2. VP Latex 3. Spin Finish Oil 4. Mercapto Benzimidazole 5. Resorcinol	1100 kgs 40 kgs 11.40 kgs 3 kgs 1 kg	
1379	Eye Drops —(Timolol Maleate Ophthalmic Solution USP) EO.25%	1 × 5 ml.	1. Timolol Maleate USP	0.020 gm.	
1380	Cellophane Paper	100 MT	1. Wood Pulp (Dissolving Type Rayon Grade)	100.02 MT	
1381	Melamine Formaldehyde Resin (Butylated) 60% Active ingredients	1 kg	1. N. Butanol 2. Melamine 3. Isophthalic Acid	0.973 kg 0.3 kg 0.10 kg	70
1382	Lamination Adhesive	1 kg	1. Adipic Acid 2. Isophthalic Acid 3. Neopentyl Alcohol 4. Trimethylol Propane 5. Propylene Glycol 6. Toluene Di-Isocyanate	0.350 kg 0.10 kg 0.20 kg 0.20 kg 0.10 kg 0.205 kg	70
1383	Terenix Red F2BL (CI Disperse Red 167) Compaining 40% Ligmene sulphate	1 MT	1. 2-Chloro-4-Nitro Aniline 2. Meta Phenylene Diamine 3. Ethylene Oxide 4. Phosphoric Acid 5. Acetic Acid 6. Acetic Anhydride 7. Soda Ash 8. Caustic soda 9. Sodium Nitrite 10. Anti Dusting Agents 11. Octanol 12. Lignine Sulphonate	199 kgs 246 kgs 160 kgs 186 kgs 261 kgs 414 kgs 119 kgs 823 kgs 62 kgs 20 kgs 20 kgs 400 kgs	
1384	Di-N,Propyl Amine	1 kg	1. N-Propanol 2. Ammonia Anhydrous 3. Nickel Catalyst	1.307 kgs 0.184 kg 0.0017 kgs	
1385	Terenix Red FBGL 200% (CI Disperse Red 60) Compaining 40% Lignine Sulphanate	1 MT	1. Anthraquinone 2. Phenol 3. Methanol 4. Soda Ash 5. Bromine Liquid 6. Boric Acid 7. Sulphuric Acid 8. Caustic Soda Lye 9. Oleum 25% 10. Pottasium Carbonate 11. Anti Dusting Agents 12. Octanol 13. Lignine Sulphonate	1070 kgs 198 kgs 426 kgs 494 kgs 688kgs 459 kgs 1548 kgs 352 kgs 2419 kgs 275 kgs 20 kgs 20 kgs 400 kgs	

1	2	3	4	5	6
1386	Terenix Red FBGL 200% (CI Disperse Red 60) Compaining 40% Lignine Sulphonate	1 MT	1. 2-Bromo-4-Hydroxy-Amino Anthra-quinone 2. Phenol 3. Methanol 4. Soda Ash 5. Pottasium Carbonate 6. Anti Dusting Agents 7. Octanol 8. Lignine Sulphonate	668 kgs 198 kgs 426 kgs 102 kgs 275 kgs 20 kgs 20 kgs 400 kgs	
1387	Reactofix Supra Blue HRL	1 MT	1. Bromamine Acid 2. Meta Base Ester 3. Anti Dusting Agent 4. Octanol	660 kgs 460 kgs 20 kgs 20 kgs	
1388	Terenix Pink FRL 200% (CI Disperse Red 91) containing 40% Lignine Sulphonate	1 MT	1. 2-Bromo-4-Hydroxy-1-Amino Anthraquinone (Rosabromide) 2. 1 : 6 Hexandiol 3. Methanol 4. Phosphoric Acid 5. Caustic Potash Flake 6. Phenol 7. Soda Ash 8. Pottasium Carbonate 9. Acetic Acid 10. Anti Dustig Agents 11. Octanol 12. Lignine Sulphonate	670 kgs 220 kgs 800 kgs 15 kgs 121 kgs 196 kgs 125 kgs 337 kgs 100 kgs 20 kgs 20 kgs 400 kgs	
1389	Crystal Violet/Crystal Violet Base	1 MT	1. Di-methyl Formamide 2. Di-methyl Aniline 3. Lead 4. Activated Carbon	550 kgs 2040 kgs 690 kgs 100 kgs	
1390	Leuco Crystal Violet	1 kg	1. Di-methyl Aniline 2. Di-methyl Formamide 3. Activated Carbon	1.62 kgs 0.45 kg 0.090 kg	
1391	Naphthalene Sulphonate Formaldehyde condensate 91% min.	1 MT	1. Naphthalene	530 kgs	
1392	3, 5 Dinitro Ortho Toluamide (98%)	1 kg	1. Orthoxylene 2. Di-methyl Formamide 3. Thionyl Chloride 4. Sodium Hydro-Sulphite 5. Vanadium Pentoxide	2.0 kgs 0.7 kg 0.7 kg 0.1 kg 0.02 kg	
1393	3, 5 Dinitro Ortho Toluamide (50%)	1 kg	1. Orthoxylene 2. Dimethyl Formamide 3. Thionyl Chloride 4. Sodium Hydro-Sulphite 5. Vanadium Pentoxide	1.0 kg 0.35 kg 0.35 kg 0.05 kg 0.01 kg	

1	2	3	4	5	6
1394	Fortified Procaine Penicillin G 4 Mega Injection	1,00,000 Vials	1. Pen G. Potassium (1st Crystal) 2. Procaine Hcl. 3. N-Butyl Acetate 4. N-Butyl Alcohol	493.50 BOU 173.24 kgs 249.00 kgs 100.00 kgs	
1395	1. (4-Hydroxy 3-Hydroxy Methyl Phenyl) 2-(N-Terbutyl- N-Benzyl Amino) Ethanol (Drug Intermediate of Sal- butamol Sulphate)	1 kg	1. P Hydroxy Aceta-phenone 2. Tertiary Butyl Amine 3. Sodium Borohydride 4. Acetic Anhydride 5. Methylene Chloride 6. Chloroform 7. Methyl Isobutyl Ketone 8. Bromine	1.99 kgs 1.45 kgs 0.38 kg 2.57 kgs 4.91 kgs 5.27 kgs 3.74 kgs 1.43 kgs	
1396	Blue B Base (CI No. 37235)	1 kg	1. Ortho Nitro Chloro Benzene 2. Methanol	0.7077 kg 0.4327 kg	300
1397	Dexamethasone and Neomycin 5 mlx Eye/Ear drops contain- ing 0.5% Neomycin and Dexamethasone Sodium Phosphate USP 0.1%.	1000 Nos.	1. Dexamethasone Sodium Phosphate	5.25 gms.	400
1398	Industrial/Automotive Lubricants	1 kg	1. Base Mineral Oil 2. Lube Oil Additives	1.03 kg/kg content in the export product. 1.03 kg/kg content in the export product.	
Annexure "C" to Public Notice No. 219 Dated 23-6-94					
1206	Vitrified Grinding wheels of the following type:-				
	(a) Mounted Points-Grain Bond Ratio 85:15	1 kg	1. Synthetic Aluminium Oxide/ Silicon Carbide	1.08 kg/kg content in export.	
	(b) Honing Stone/Super Finishing Stones-Grain Bond Ratio 85:15	1 kg	1. Synthetic Aluminium Oxide/ Silicon Carbide	1.20 kg/kg content in export.	
	(c) Floor Polishing Blocks, Rubbing Bricks, Finished Stone, Segments Grain Bond Ratio 85:15	1 kg	1. Synthetic Aluminium Oxide/ Silicon Carbide	1.08 kg/kg content in export.	
	(d) Ball Wheels Grain Bond Ratio 60:40	1 kg	1. Silicon Carbide/Bond	1.15 kg/kg content in export.	
	(e) All other Vitrified Grinding Wheels Grain Bond Ratio 85:15	1 kg	1. Synthetic Aluminium Oxide/ Silicon Carbide	1.15 kg/kg content in export.	
1207	Organic Grinding Wheels of the following types:				
	(a) Depressed Centre Wheels Grain Bond Ratio 75:25	1 kg	1. Synthetic Aluminium Oxide/ Silicon Carbide Resin 2. Glass Fibre	1.03 kg/kg content in export. 1.03 kg/kg content in export.	

1	2	3	4	5	6
(b) Reinforced Cutting off Grain Bond Ratio 75:25	1 kg	1. Synthetic Aluminium Oxide/ Silicon Carbide Resin	1.08 kg/kg content in export.		
		2. Glass Fibre Discs	1.03 kg/kg content in export.		
(c) Non-Reinforced Cutting off wheels Grain Bond Ratio 75:25	1 kg	1. Synthetic Aluminium Oxide/ Silicon Carbide Resin	1.08 kg/kg content in export.		
(d) Hot Press Wheels for Billet Grinding Grain Bond Ratio 75:25	1 kg	1. Synthetic Aluminium Oxide/ Resin, Iron Pyrite, Chopped Glass Strands	1.15 kg/kg content in export.		
(e) Snagging Wheels Grain	1 kg	1. Synthetic Aluminium Oxide/ Silicon Carbide, Resin	1.08kg/kg content in export.		
(f) Nut Inserted Wheels Grain Bond Ratio 88:12	1 kg	1. Synthetic Aluminium Oxide/ Silicon Carbide, Resin	1.15 kg/kg content in export.		
(g) Point & Fluting Grain Bond Ratio 65:35	1 kg	1. Synthetic Aluminium Oxide/ Iron Pyrites	1.15 kg/kg content in export.		
(h) Razor Blade Grinding Grain Bond Ratio 85:15	1 kg	1. Silicon Carbide, Resin	1.15 kg/kg content in export.		
(i) All other wheels Grain Bond Ratio 75:25	1 kg	1. Synthetic Aluminium Oxide/ Silicon Carbide, Resin	1.15 kg/kg content in export.		
1208 Heating Elements	1 No.	1. Resistance Wire 9 SWG	Net to net.		
1209 CR/AL Thermocouples	1 No.	1. Recrystallised Alumina Sheath	Net to net		
1210 High Alumina Refractory for Hearth	1 No.	1. Syntered Alumina Tiles	Net to net		
1211 390 KV Surge Arresters/ Lightning Arresters	100 Nos.	1. Zinc Oxide Disc 3" Dia, GE Type 9L26 ZNW 107	103 Nos.		
1212 Refractory Submerged Nozzles/Monoblock Stoppers/ Tundish Nozzles for continuous casting of steel	1000 kgs	1. Sintered/Fused Alumina 2. Fused Silica 3. Silicon Carbide 4. Boron Carbide 5. Fused Zirconia	648 kgs 339 kgs 41 kgs 41 kgs 54 kgs	65	
1213 Cobalt Base Hard Facing Alloy Wire Rods	1 kg	1. Indellite Grade-I			
		(a) Cobalt	1.07 kg/kg content in export product.		
		(b) Chromium	1.07 kg/kg content in export product.		
		(c) Nozzles	Net to net		



1	2	3	4	5	6
			2. Indellite Grade-12		
			(a) Cobalt	1.07 kg/kg content in export product.	
			(b) Chromium	1.07 kg/kg content in export product.	
			(c) Nozzles	Net to net.	
			3. Indellite Grade-4		
			(a) Cobalt	1.07 kg/kg content in export product.	
			(b) Chromium	1.07 kg/kg content in export product.	
			(c) Nozzles	Net to net.	
1214	Stainless Steel Frypan with copper bottom of different sizes	1 kg	1. Stainless Steel Sheets con- forming to AISI 304	1.30 kg/kg content in export product.	
			2. Copper Sheets 2 MM	1.05 kg/kg content in export product.	
1215	Stainless Steel Pressure Cookers with copper bottom of different sizes	1 kg	1. Stainless Steel Sheets con- forming to AISI 304	1.30 kg/kg content in export product.	
			2. Copper Sheets 2 MM	1.05 kg/kg content in export product.	
1216	Stainless Steel Saucepan with copper bottom of different sizes	1 kg	1. Stainless Steel Sheets con- forming to AISI 304	1.30 kg/kg content in export product.	
			2. Copper Sheets 2 MM	1.05 kg/kg content in export product.	
1217	Stainless Steel Casserole with copper bottom of different sizes	1 kg	1. Stainless Steel Sheets con- forming to AISI 30 4	1.30 kg/kg content in export product.	
			2. Copper Sheets 2 MM	1.05 kg/kg content in export product.	
1218	Automobile Tyre-Tube Valves	1 kg	1. Brass Scrap/Brass Rods	1.10 kg/kg content in export product.	60
			2. Nitrile/Silicon Rubber/ Teflon Tubing	1.05 kg/kg content in export product.	
			3. Rubber Chemicals	8% of weight of Rubber content in export.	

1	2	3	4	5	6
1219	Outdoor Over Head Termination Kits complete with Cable Gland and/or Bush, PVC Shroud and (with or without) Ring Lock Nuts	1 kg	1. Brass Scrap  2. PVC Compound  3. Non-Alloy Steel/Coil/Strip/Plate/Bar	1.075 kg/kg content in export product. 1.05 kg/kg content in export product. 1.05 kg/kg content in export product.	45

Annexure "D" to  
Public Notice No. 219  
Dated 23-6-94

#### FOOD PRODUCTS

Sl. No.	Name	Export Item	Qty.	Import Item	Qty.	Value Addition
1	2	3	4	5	6	
36	Gherkins (Pickled Fruits and Vegetables)	1 kg	1. Natural Alcohol Vinegar	0.4 litre		

Annexure "E" to  
Public Notice No. 219  
Dated 23-6-94

#### LEATHER AND LEATHER PRODUCTS

Sl. No.	Name	Export Item	Qty.	Import Item	Qty.	Value Addition
1	2	3	4	5	6	
65	Ladies Leather Sandle Upper	1 pair (Based on 1.25 Sq. ft. of finished Upper Leather)	1. Accessories:- (a) Synthetic Lining (b) Full Insole socks (Synthetic) (c) Adhesive (Synthetic/ Latex) (d) Shoe Finishes (Polish) (e) Shoe Finishes (Spray) (f) Synthetic Thread	1.00 Sq. ft. 0.4 Sq. ft. 20 gms. 3 gms. 7 gms. 8 Meters		

1	2	3	4	5	6
		(g)	Thermoplastic sheets for counter	0.013 Sq. meter	
		(h)	Re-inforcement tape (width 1.5 cms)	0.40 meter	
		(i)	Eyelets	Net to net	
		(j)	Metallic Fitting	Net to net	
		(k)	Logos	Net to net	
		(l)	Elastic	Net to net	
		(m)	Velcro tape	Net to net	
		2. Consumables:—			
		(a)	Clicking Boards	1 No./7500 pairs	
		(b)	Binding Guage	1 No./10000 pairs	
		(c)	Industrial Sewing machine needle/hammer needle	50 Nos./1000 pairs	
		(d)	Bell/Skiving knives	1 No./2500 pairs	
		(e)	Banki Knives for splitting machine	1 No./5000 pairs	
		(f)	Grinding wheels	1 No./2500 pairs	
		(g)	Feed Rollers	1 No./5000 pairs	
		3. Chemicals:—			
		(a)	Preservatives		
		(b)	Bating Agents		
		(c)	Sodium Bisulphite		
		(d)	Syntans		
		(e)	Sodium Formate/Acetate		
		(f)	Formic Acid		
		(g)	Fat Liquor		
		(i)	Binder:		
		(1)	Casein Base		
		(2)	Resin Base		
		(j)	Lacquer Emulsion	As per standard norms given at	
		(k)	Dyes	Sl. No. 3, Page	
		(l)	Pigments	No. 563 of Hand	
		(m)	Borax	Book of Proce-	
		(n)	Impregnating Resin	dures Vol. II	
		(o)	Wax Emulsion	(Revised	
		(p)	Oxalic Acid	Edition March,	
		(q)	Acetic Acid	1994)	
		(r)	Sodium Thiosulphate		
		(s)	Penetrating Agent		
		(t)	Slip Agent		

1	2	3	0	5	6
66	Fine/Fancy Leather Gloves	1 pair	1. (a) Liners (b) Cloth Labels (c) Hooks (d) UPC Paper Stickers (e) Hang Tags (f) Price Tickets (g) Threads: (1) For Ladies (2) For Gents	Net to net Net to net Net to net Net to net Net to net Net to net 16 Meters 18 Meters	
		For 1000 Sq. ft. of finished leather	2. Chemicals:- (a) Syntans (b) Formic Acid (c) Wattle Extract (d) Fat Liquor (e) Binder: (1) Casein Base (2) Resin Base (f) Lacquer Emulsion (g) Dyes (h) Pigments (i) Imoregnating Resin (j) Penetrating agent (k) Wax Emulsion	To be allowed as per Norms fixed for finished leather at Sl. No. 3 under this Product Group.	

Note : 1. The average consumption of finished leather for ladies hand gloves will be 2 Sq. ft./pair and that of gents 2.5 Sq. ft./pair.

Annexure "F" to  
Public Notice No. 219  
Dated 23-6-94

#### PLASTICS PRODUCTS

Sl. No.	Export Item Name	Qty.	Import Item Name	Qty.	Value Addition
1	2	3	4	5	6
241	PVC Leather Cloth/Foam Leather Cloth having coating weight 1000 gms. per square meter $\pm 5\%$	1 Sq. mtr.	1. PVC Resin 2. PVC Plasticizer (Phthalic, Non Phthalic Epoxy, Polymeric) OR 2. (a) 2-Ethyl Hexanol (Octanol) (b) Phthalic Anhydride 3. Titanium Dioxide/Pigments	617.52 gms. 429.20 gms.  300.44 gms. 171.00 gms. 29.20 gms.	40

1	2	3	4	5	6
			4. Release Paper (153-173 gms./Sq. meter)	0.5 sq. Meter	
			5. Processing Aid	14.60 gms.	
			6. Blowing/Foaming Agent	21.90 gms.	
			7. Polyester Adhesive Tapes having max. width of 30" subject to maximum of 2% of FOB value of export product	0.0003 Roll	
			8. Yarn (Polyester/ Cotton Viscose) and combination there of in varying proportion for backing material.	1.06 kg./kg. of respective item contained in the export product.	
			OR		
			Woven/Non-Woven Fabric for backing material.	1.05 Sq. mtr./ Sq. Meter contained in the export product.	

Note: 1. In case of variation in coating weight, the Qty. of imports of PVC Resin, PVC Plasticizer, or 2-Ethyl Hexanol (Octanol) and Phthalic Anhydride, Blowing/Foaming Agent, Titanium DI-Oxide/Pigment, Processing Aid to be allowed adopting the following formula:

$$\frac{A \times B}{1000} \text{ When } A = \text{Qty. allowed for 1000 gms. coating weight/Sq. meter.}$$

$$B = \text{Coating weight of leather cloth proposed to be exported per Sq. meter.}$$

The quantity of other items will not change.

242 PVC Printed Leather Cloth/ Foam Leather Cloth having coating weight 1000 gms. per square meter +/—5%	1 Sq. mtr.	1. PVC Resin	587.38 gms.	40
		2. PVC Plasticizer (Phthalic, Non-Phthalic Epoxy)	405.30 gms.	
		OR		
		2.(a) 2-Ethyl Hexanol (Octanol)	283.71 gms.	
		(b) Phthalic Anhydride	161.51 gms.	
		3. Anti-fungal Agent	7.58 gms.	
		4. Buty Benzyl Phthalate Plasticizer	22.72 gms.	
		5. Polymeric Plasticizer	7.58 gms.	
		6. Blowing/Foaming Agent	7.58 gms.	
		7. Titanium Dioxide/ Pigments	30.28 gms.	
		8. Microlith Pigments	7.58 gms.	
		9. Flatting Agent/Matting Agent	13.62 gms.	
		10. Solvent (MEK/ Toluene/Cylo-hexanone/ MBK/MIBK)	40.00 gms.	

1	2	3	4	5	6
		11. Polyurethane Lacquer (Solvent or water base) (Total solid content upto 25%)		36.34 gms.	
		12. Processing Aid		7.58 gms.	
		13. Release Paper (155-173 gms./ Sq. meter)		0.50 Sq. meter	
		14. Polyester Adhesive Tape having max. width of 30" subject to maximum of 2% of FOB value of export product		0.0003 Roll	
		15. Yarn (Polyester/Cotton/ Viscose and combination there of in varying propor- tion) for backing material.		1.06 kg./kg. of respective item contained in the export product.	
		OR			
		Woven/Non-Woven Fabric for backing material.		1.05 Sq. mtr./ Sq. Meter contained in the export product.	

Note : 1. In case of variation in coating weight, the Qty. of imports of PVC Resin, PVC Plasticizer or 2-Ethyl Hexanol (Octanol) and Phthalic Anhydride, Antifungal Agent, Butyl Benzyl phthalate, Plasticizer, Polymeric Plasticizer, Blowing/Foaming Agent, Titanium Dioxide/Pigment, Microlith Pigments, Flattening Agent/Matting Agent and item 10, 11, 12 to be allowed by adopting the following formula:

$A \times B$  When  $A =$  Qty. allowed for 1000 gms. coating weight/Sq. meter.

1000

$B =$  Coating weight of leather cloth proposed to be exported per Sq. meter.

The quantity of other items will not change.

243 Overhead Projector film polyester based	1 kg	1. Polyester Volume	1.1 kgs	
		2. Coupler	0.035 kg	
		3. Pigment	0.032 kg	
		4. Cellulose Acetate Propionate	0.071 kg	
244 Polycarbonate baby feeding bottle with polypropylene lids Printed	1 kg	1. Polycarbonate Resin	1.05 kg/kg	100
		2. Polypropylene Granules	content in export.	
		3. PVC film for blister packing	1.05 kg/kg content in export packing.	
		4. Printing Inks	0.20% of the Poly- carbonate & Polypropylene contained in the export product.	

1	2	3	4	5	6
245	Latex (Natural Rubber) Nipple for baby feeding bottle	1 kg	1. Latex Rubber (Natural Rubber) 2. PVC film for blister packing	1.08 kg/kg content in export. 1.05 kg/kg content in export packing.	100
246	Silicon Rubber Nipple for baby feeding bottle	1 kg	1. Liquid Silicon Rubber 2. PVC film for blister packing	1.05 kg/kg content in export. 1.05 kg/kg content in export packing.	50
247	Polycarbonate Juice Cup with polypropylene lid, printed	1 kg	1. Polycarbonate Resin 2. Polypropylene Granules 3. PVC film for blister Packing 4. Printing Inks	1.05 kg/kg content in export. 1.05 kg/kg content in export. 1.05 kg/kg content in export packing. 0.20% of the Polycarbonate & Polypropylene contained in the export product.	75
248	Printed baby soother made of polycarbonate with latex natural rubber nipples and polypropylene lid.	1 kg	1. Polycarbonate Resin 2. Polypropylene Resin 3. PVC film for blister packing 4. Printing Inks	1.05 kg/kg content in export. 1.05 kg/kg content in export. 1.05 kg/kg content in export packing. 0.20% of the Polycarbonate & Polypropylene contained in the export product.	120

1	2	3	4	5	6
249	Polycarbonate drinking cup with Polypropylene lid printed	1 kg	1. Polycarbonate Resin 2. Polypropylene Granules 3. PVC film for blister packing 4. Printing Inks	1.05 kg/kg content in export. 1.05 kg/kg content in export. 1.05 kg/kg content of Packing material in export. 0.20% of the Polycarbonate & Polypropylene contained in the export product.	120
250	Printed decorated Polycarbonate baby soother with silicon rubber nipples	1 kg	1. Polycarbonate Resin 2. Silicon Rubber 3. PVC film for blister packing 4. Printing Inks	1.05 kg/kg content in export. 1.05 kg/kg content in export. 1.05 kg/kg content in export packing. 0.20% of the Polycarbonate & Polypropylene contained in the export product.	75
251	Printed polypropylene baby feeding bottle	1 kg	1. Polypropylene Granules 2. Printing Inks	1.05 kg/kg content in export. 0.20% of the Polycarbonate & Polypropylene contained in the export product.	125
252	Multilayer extruded plastic packaging Material (Printed-5 Ply)	1 kg	1. LDPE/LLDPE (Film Grade) 2. Ethylene Acrylic Acid copolymer granules	1.12 kg/kg. contained in the export product. 1.10 kg/kg. contained in the export product.	



1	2	3	4	5	6
			3. Aluminium Foil	1.10 kg/kg. contained in the export product.	
			4. U.V. Ink	0.5% of weight of LDPE/LLDPE in the export product.	
			5. U.V. Varnish	0.3% of weight of LDPE/LLDPE in the export product.	
253	Multilayer extruded plastic laminated tubes with inserts and caps. (5 ply printed)	1 kg	1. LDPE/LLDPE (Film Grade)	1.17 kg/kg. contained in the export product.	
			2. Ethylene Acrylic Acid copolymer granules	1.17 kg/kg. contained in the export product.	
			3. Aluminium Foil	1.12 kg/kg. contained in the export product.	
			4. Master Batch	1.2% of weight of LDPE/LLDPE	
			5. U.V. Ink	0.5% of weight of LDPE/LLDPE in the export product.	
			6. U.V.-Varnish	0.3% of weight of LDPE/LLDPE in the export product.	
			7. HDPE Granules (For shoulder of the tube)	1.05 kg/kg. contained in the export product.	
			8. Polypropylene granules (for caps.)	1.05 kg/kg. contained in the export product.	
254	Multilayer plastic laminated tubes (with 7 ply printed)	1 kg	1. LDPE/LLDPE (Film Grade)	1.22 kg/kg. contained in the export product.	
			2. Ethylene Acrylic Acid	1.22 kg/kg contained in the export product.	

1	2	3	4	5	6
		3. Aluminium Foil		1.15 kg/kg contained in the export product.	
		4. U.V. Ink		0.5% of weight of LDPE/LLDPE in the export product.	
		5. U.V. Varnish		0.3% of weight of LDPE/LLDPE in the export product.	
		6. HDPE Granules (For shoulder of the tube)		1.05 kg/kg. contained in the export product.	
		7. Polypropylene granules (for caps)		1.05 kg/kg. contained in the export product.	

Annexure "G" to  
Public Notice No. 219  
Dated 23-6-94

## SPORTS GOODS

Sl. No.	Export Item Name	Qty.	Import Item Name	Qty.	Value Addition
1	2	3	4	5	6
7.	Leg Gaurd	1 pair	1. P.U. Coated	1.05 kg/kg content in export.	
8.	Batting Gloves	1 pair	1. P.U. Coated	1.08 kg/kg content in export.	

Annexure "H" to  
Public Notice No. 219  
Dated 23-6-94

## TEXTILES PRODUCTS

Sl.	Export Item		Import Item		Value Addition
No.	Name	Qty.	Name	Qty.	
1	2	3	4	5	6
222	Mohair Polyester Mixed Blankets Raised	1 kg	1. Mohair Tops	1.26 kg/kg content in export product.	125
			2. Polyester Texturised Yarn	1.05 kg/kg content in export product.	
223	Spun Silk Yarn	1 kg	1. Silk Tops	1.10 kg/kg of Silk material content in export product.	
224	Ladies Skirt (Crinkled Type)	1 kg	1. Raw Silk Yarn	1.23 kg/kg content in export product.	
			OR		
			1. Silk Fabrics	1.03 kg/kg content in export product.	
225	100% Polyester Sewing Thread Dyed	1 kg	1. Polyester Fibre upto 5 denier	1.025 kg/kg content in export product.	
			2. Relevant Dyes	0.02 kg	

Annexure "I" to  
Public Notice No. 219  
Dated 23-6-94

Sl. No.	Export Item	Import Item	Value Addition
Name	Qty.	Name	Qty.
1	2	3	4
5	6		
928	Sintered Alloy Iron Bushes & Parts	1 kg	1. Alloy Iron Powder 1.0531 kgs 2. Solid Lubricant 0.0106 kg 3. Lubricating Oil 0.0318 kg 4. Optional Raw Materials: Natural graphite powder/ manganese sulphide powder } Value not to exceed Rs. 1.70/kg of exported product. 5. Consumables: Jig grinding wheels and Honing Stones }
1095	Sintered Bronze Bushes and Parts "SB" Grade	1 kg	1. Copper Mill Scale Min. 80% copper in natural state OR 1.276 kgs 1. Copper Powder Electrolytic/ Atomised 0.96 kg 2. Tin Ingot-Min. 98% purity OR 0.0944 kg 2. Tin Powder 0.093 kg 3. Solid Lubricant 0.0106 kg 4. Lubricating Oil 0.0403 kg 5. Optional Raw Materials: Graphite Powder } Value not to exceed Rs. 3.75/kg of exported product. 6. Consumables: Jig grinding wheels and Honing Stones }
1096	Sintered Bronze Bushes and Parts "D" Grade	1 kg	1. Copper Mill Scale Min. 80% copper in natural state OR 0.9183 kgs 1. Copper Powder Electrolytic/ Atomised 0.6914 kg 2. Tin Ingot Min. 98% purity OR 0.0552 kg 2. Tin Powder 0.05315 kg 3. Iron Powder-Sponge/ Atomised 0.3084 kg 4. Solid Lubricant 0.0106 kg 5. Lubricating Oil 0.0403 kg 6. Consumables: Jig grinding Wheels and Honing Stones } Value not to exceed Rs. 2.40/kg of export.

1	2	3	4	5	6
1097 Sintered Iron Bushes and Parts Category IA	1 kg	1. Iron Powder-Sponge/Atomised 2. Solid Lubricant Powder 3. Lubricating Oil 4. Optional Raw Materials: Copper Mill Scale/Copper powder/Ferro Phosphorous Powder/Manganese Sulphide Powder 5. Consumables: Jig Grinding wheels and Honing Stones	1.041 kg 0.0106 kg 0.0318 kg Items 4 & 5 put together value should not exceed Rs. 4.00/kg of exported product.		
1098 Sintered Iron Bushes and Parts Category IC	1 kg	1. Iron Powder—Sponge/Atomised 2. Copper mill scale min. 80% copper in natural state OR 2. Copper electrolytic/atomised 3. Solid Lubricant Powder 4. Lubricating Oil 5. Optional Raw Materials: Ferro Phosphorous Powder/Manganese Sulphide Powder/graphite powder 6. Consumables: Jig Grinding Wheels and Honing Stones	1.0085 kg 0.084 kg 0.0638 kg 0.0106 kg 0.0318 kg Value not to exceed Rs. 4.40/kg of exported product.		
1099 Sintered Iron Bushes and Parts Category ID	1 kg	1. Iron Powder—Sponge/Atomised 2. Copper mill scale min. 80% copper in natural state OR 2. Copper Powder Electrolytic/Atomised 3. Solid Lubricant Powder 4. Lubricating Oil 5. Optional Raw Materials: Natural Graphite Powder/Tin Ingot/Tin Powder 6. Consumables: Jig Grinding Wheels and Honing Stones	0.904 kg 0.1975 kg 0.1507 kg 0.0106 kg 0.0318 kg Value not to exceed Rs. 6.50/kg of exported product.		
1100 Sintered Iron Bushes and Parts Category IB	1 kg	1. Iron Powder—Sponge/Atomised 2. Copper mill scale min. 80% copper in natural state OR Copper Powder Electrolytic/Atomised	1.0143 kg 0.042 kg 0.0319 kg		

**Annexure "J" to  
Public Notice No. 219  
Dated 23-6-94**

[illegible]

1	2	3	4	5	6
		For 1000 Pcs.	2. (a) Needles (b) Bobbin (c) Needle Bar (d) Feed Dock (e) Hook Set (f) Bobbin Case (g) Teflon Foot (h) Pressure Foot (i) Needle Plate (j) Needle Bar Frame (k) Tension Set (l) Tension Spring	162.00 Nos. 10.80 Nos. 2.15 Nos. 2.15 Nos. 2.15 Nos. 10.80 Nos. 11.30 Nos. 11.30 Nos. 4.55 Nos. 1.15 Nos. 11.30 Nos. 11.30 Nos.	
		For 1000 Sq. ft. for finished leather	3. (a) Preservative (b) Bating Agents (c) Syntans (d) Sodium Formate/Acetate (e) Formic Acid (f) Wattle Extract: (1) For retanning (2) For vegetable tanning of leather (g) Fat Lacquer (h) Binder: (1) Casein Base (2) Resin Base (i) Chrome Tanning Agent (Extract): For semi Chrome OR For full Chrome finish (j) Lacquer Emulsion (k) Dyes (l) Pigments (m) Borax (n) Impregnating Resin (o) Wax Emulsion	1.70 kgs. 5.20 kgs. 19.20 kgs. 5.20 kgs. 10.20 kgs.  13.60 kgs. 40.70 kgs. 22.60 kgs.  4.50 kgs. 6.80 kgs. 22.60 kgs. 52.00 kgs. 7.90 kgs. 5.65 kgs. 2.30 kgs. 5.25 kgs. 5.70 kgs. 1.15 kgs.	

1	2	3	4	5	6
			(p) Oxalic Acid	1.15 kgs.	
			(q) Acetic Acid	2.85 kgs.	
			(r) Sodium Thio- sulphate	5.25 kgs.	
			(s) Penetrating Agent	2.30 kgs.	
			(t) Slip Agent (Silicon Based Oil)	0.45 kgs.	

- Note: 1. Import of Item No. 1 will be upto 25% of FOB value of exports.  
2. Import of Item No. 2 will be upto 0.1 % of FOB value of exports.  
3. Import of Item No. 3 will be upto 12% of FOB value of exports.  
4. Interchangeability of CIF values of items 1, 2, and 3 above shall not be allowed.